

# Scorpio Gold Drills 1.27 g/t Gold over 45.23 Metres from 137.95 Metres Along Caldera Margin at Goldwedge

11:00 Uhr | [Newsfile](#)

## Highlights

- Hole 26MN-086 returned 1.27 g/t gold over 45.23 metres ("m") from 137.95 m, including 2.40 g/t gold over 7.47 m from 160.26 m and 8.06 g/t gold over 2.80 m from 172.31 m at Goldwedge.

Vancouver, June 8, 2026 - [Scorpio Gold Corp.](#) (TSXV: SGN) (OTCQB: SRCRF) (FSE: RY9) ("Scorpio Gold", or the "Company") is pleased to announce results from three step-out holes of the Phase Two drill program at the Manhattan District Project ("Manhattan"), Nevada, USA: 26MN-082, 26MN-084 and 26MN-086, see Figure 1. The results are tabulated in Table 1 and discussed below. Scorpio Gold has drilled 92 drill holes to date from its Phase Two diamond drilling program, 25MN-011 through 25MN-045, 26MN-046 through 26MN-101, and 26MN-103, for a grand total of 25,919 m. With the results herein, Scorpio Gold has reported assays on 76 of these (25MN-011 through 25MN-045, 26MN-046 through 26MN-080, and 26MN-082 through 26MN-086, and 26MN-088), totalling 22,362 m, and assays are pending from 16 holes (26MN-081 and 26MN-087, and 26MN-089 through 26MN-101, and 26MN-103), totalling 3,557 m. The pending results will be reported as they become available. In addition to the Phase Two drill program, the Company has begun reviewing historic core that is available at Manhattan. Any new significant results will be included as they become available.

"With each hole we drill, our confidence builds that the volcanic units at the north end of Manhattan host the potential for much larger-scale mineralization than the narrow structures historic operators focused on - the very target we have been systematically testing along the Caldera Margin. Hole 26MN-086 is a good example, returning 45.23 metres of 1.27 g/t gold built around a high-grade feeder of 8.06 g/t over 2.80 metres that appears to bleed outward into the surrounding tuffs. This is a broad, volcanic-hosted signature reminiscent of the nearby Round Mountain system, and ours is the first program to drill these rocks specifically expecting to find it.

What is most encouraging is how repeatable this is becoming - hole after hole along the margin is returning mineralization from these tuffs. That consistency is giving us growing conviction that the volcanic-hosted mineralization need not be confined to the Caldera Margin, but could continue inward into the broader Manhattan Caldera itself. It remains early, but if the volcanics behave as we are seeing, the Manhattan Caldera could open up as a meaningful, larger-scale opportunity well beyond the margin we have tested to date. That potential, alongside our steady progress at Zanzibar, is why we see real room for the resource to grow from here," said Harrison Pokrandt, VP Exploration for Scorpio Gold.

Figure 1. Surface Plan Map of drill results, with highlights noted. Map Inset area shown in Figure 3.

To view an enhanced version of this graphic, please visit:  
[https://images.newsfilecorp.com/files/9779/300486\\_scorimg1.jpg](https://images.newsfilecorp.com/files/9779/300486_scorimg1.jpg)

Drill hole 26MN-086 is a 50 m step-out, at Goldwedge, to the north of hole 26MN-048 (0.62 g/t over 32.13 m), see news release dated February 27, 2026, and 24MN-009 (1.69 g/t over 55.70 m), see news release dated December 11, 2024. Drill holes 26MN-084 and 26MN-082 are also 50 m step-outs, at Goldwedge, to the northeast of hole 26MN-048. Both drill holes tested inside and beyond the Inferred Resource Constraining Pit ("IRCP"), targeting new mineralization outside of the 2025 MRE block model, see Figures 3, 6, and 7. For further details see "Mineral Resource Estimate and NI 43-101 Technical Report, Manhattan Property, Nye County, Nevada" with an effective date of June 4, 2025, on Scorpio Gold's website at [https://wp-scorpiogold-2025.s3.ca-central-1.amazonaws.com/media/2025/10/SGN\\_Manhattan\\_Mineral\\_Resource\\_Esti](https://wp-scorpiogold-2025.s3.ca-central-1.amazonaws.com/media/2025/10/SGN_Manhattan_Mineral_Resource_Esti)

Figure 2. Geology Surface Plan Map of Target Areas, with untested strike lengths through the Ordovician Zanzibar Formation associated mineralization noted. Map Inset area shown in Figure 3.

To view an enhanced version of this graphic, please visit:  
[https://images.newsfilecorp.com/files/9779/300486\\_dbdca5d774e489ef\\_003full.jpg](https://images.newsfilecorp.com/files/9779/300486_dbdca5d774e489ef_003full.jpg)

Figure 3. Inset Surface Plan Map of Goldwedge Target Area, with drill hole traces projected to surface and result highlights noted.

To view an enhanced version of this graphic, please visit:  
[https://images.newsfilecorp.com/files/9779/300486\\_scorimg2.jpg](https://images.newsfilecorp.com/files/9779/300486_scorimg2.jpg)

Target Drill Hole Azimuth To (m)	To (m)	Intercept <sup>1</sup> (m)	Gold (g/t)
26MN-082 95°	15.85	6.10	0.54
26MN-082 108°	37.19	15.24	0.14
26MN-082 140°	49.38	8.60	0.6
No significant intervals. Encountered stope at ~49 m.			
26MN-086 129°	19.05	6.10	0.16
26MN-086 108°	110.43	5.58	0.31
26MN-086 115°	122.99	7.16	0.68
26MN-086 137°	183.18	45.23	1.27
26MN-086 160°	167.73	7.47	2.4
26MN-086 172°	175.11	2.80	8.06

<sup>1</sup> Intervals contain no more than 3 continuous metres grading less than 0.1 g/t gold.

Table 1. Results from the current batch of drill holes. Note: There is insufficient geological information to estimate a true width for the drill intercepts reported.

**Goldwedge Results:**

26MN-082: This drill hole tested mineralization in the Goldwedge area and along the Caldera margin. The drill hole contains three intervals hosted in Ordovician Zanzibar Formation limestone units, including 0.54 g/t gold over 6.1 m from 9.75 m, 0.14 g/t gold over 15.24 m from 21.95 m and 0.60 g/t gold over 8.6 m from 40.78 m. The later interval sits directly above the contact with Oligocene Round Rock Formation volcanic units at 49.38 m.

26MN-084: This drill hole tested mineralization in the Goldwedge area and along the Caldera margin. The drill hole encountered a void from 49.23 m to 78.00 m, where the hole was terminated. This void is not mapped on previous underground workings but is interpreted as a likely stope in the Goldwedge Underground mine. This hole contains no significant intervals, but all mineralization is hosted within Ordovician Zanzibar Formation limestone units.

26MN-086: This drill hole tested mineralization in the Goldwedge area and along the Caldera margin. The drill hole contains one interval hosted in Ordovician Zanzibar Formation limestone units of 0.16 g/t gold over 6.1 m from 12.95 m. The drill hole contains two intervals hosted in Cambrian Gold Hill Formation fine grained clastic meta-sediments and carbonate units. The first interval sits directly below the contact with Ordovician Zanzibar Formation, and is noted as 0.31 g/t gold over 5.58 m from 104.85 m. The second interval is 0.68 g/t gold over 7.16 m from 115.83 m. The final interval is hosted within Cambrian Gold Hill Formation meta-sediments and Oligocene Round Rock Formation volcanic units and is 1.27 g/t gold over 45.23 m from 137.95 m (see Figure 4). The Cambrian to Oligocene contact sits at 177.70 m. This interval includes intervals of 2.40 g/t gold over 7.47 m from 160.26 m and 8.06 g/t gold over 2.8 m from 172.31 m (see Figure 5), both hosted in the Cambrian Gold Hill Formation.

These Goldwedge intervals represent new mineralization inside and outside the current IRCP, see

cross-section A to A' (Figure 6) and cross-section B to B' (Figure 7).

Figure 4. Drill hole 26MN-086, interval 158.50 m to 165.65 m, displaying fine grained meta-sediments of the Cambrian Gold Hill Formation with quartz-calcite-adularia epithermal veins.

To view an enhanced version of this graphic, please visit:

[https://images.newsfilecorp.com/files/9779/300486\\_dbdca5d774e489ef\\_005full.jpg](https://images.newsfilecorp.com/files/9779/300486_dbdca5d774e489ef_005full.jpg)

Figure 5. Drill hole 26MN-086, interval 172.30 m to 175.11 m, displaying fine grained meta-sediments of the Cambrian Gold Hill Formation with quartz-calcite-adularia epithermal veins.

To view an enhanced version of this graphic, please visit:

[https://images.newsfilecorp.com/files/9779/300486\\_dbdca5d774e489ef\\_006full.jpg](https://images.newsfilecorp.com/files/9779/300486_dbdca5d774e489ef_006full.jpg)

Figure 6. Cross-section A-A', showing gold grades with reported intervals highlighted.

To view an enhanced version of this graphic, please visit:

[https://images.newsfilecorp.com/files/9779/300486\\_dbdca5d774e489ef\\_007full.jpg](https://images.newsfilecorp.com/files/9779/300486_dbdca5d774e489ef_007full.jpg)

Figure 7. Cross-section B-B'', showing gold grades with reported intervals highlighted.

To view an enhanced version of this graphic, please visit:

[https://images.newsfilecorp.com/files/9779/300486\\_dbdca5d774e489ef\\_008full.jpg](https://images.newsfilecorp.com/files/9779/300486_dbdca5d774e489ef_008full.jpg)

## QA/QC

HQ sized diamond drill core samples were cut in halves, then bagged and secured with security tags to ensure integrity during transportation to the Reno, NV, Paragon Geochemical facility for preparation. For quality assurance ("QA"), unmarked coarse blanks, unmarked certified reference materials, and requested laboratory duplicates were inserted into the sampling sequence. QA samples were systematically inserted into each batch of samples, amounting to approximately 10% of the run of samples. Samples were analyzed for gold using method PA-AU02 (~500 g), a two-cycle PhotonAssay™ analysis of crushed material (70% passing 2 mm). All Paragon Geochemical facilities comply with ISO 17025:2017.

## About the Manhattan District

Manhattan, located in the Walker Lane Trend of Nevada, USA, is road accessible and lies approximately 20 kilometers south of the operating Round Mountain Gold Mine (<https://www.kinross.com/operations/default.aspx#americas-roundmountain>), which has produced more than 15 million ounces of gold. For the first time, the Company has consolidated Manhattan's past-producing mines under a single entity that holds valuable permitting and water rights. Historically, Manhattan has produced approximately 700,000 ounces of gold from high-grade placer and lode operations dating from the late 1890s through to the mid-2000s.<sup>1</sup> The maiden mineral resource estimate (the "Maiden MRE") covering the Goldwedge and Manhattan Pit areas of Manhattan is comprised of 18,343,000 tonnes grading 1.26 g/t gold for a total of 740,000 oz contained gold in the inferred category.<sup>2</sup>

A historical mineral resource estimate (the "Historical MRE") covers the Black Mammoth, April Fool,

Hooligan, Keystone, and Jumbo areas of Manhattan and comprises 1,652,325 tonnes grading 5.89 g/t gold for a total of 303,949 oz contained gold.<sup>3</sup> The deposit is interpreted as a low-sulfidation, epithermal, gold-rich system situated adjacent to the Tertiary-aged Manhattan caldera in the Southern Toquima Range of Nevada. A "Qualified Person" as defined in National Instrument 43-101 - Standards of Disclosure for Mineral Projects ("NI 43-101") has not done sufficient work to make the Historical MRE current, and the Company is not treating the Historical MRE as current.

#### Notes

- **Adjacent Properties:** The Company has no interest in, or rights to, any of the adjacent properties mentioned, including the Round Mountain Gold Mine, and exploration results on adjacent properties are not necessarily indicative of mineralization on the Company's properties. Any references to exploration results on adjacent properties are provided for information only and do not imply any certainty of achieving similar results on the Company's properties.
- **Historical Data:** This news release includes historical information that has been reviewed by the Company's qualified person. The Company's review of the historical records and information reasonably substantiate the validity of the information presented in this presentation. The Company encourages readers to exercise appropriate caution when evaluating these data and/or results.
- **Third-Party Mineral Projects:** These deposits are cited solely for geological context. The Company cautions that these properties are not necessarily adjacent to, nor does the Company or have any interest in or control over them. Although certain geological features may be similar, there is no assurance that mineralization comparable to these deposits will be discovered on any of the Company's properties. Information regarding the aforementioned deposits is taken from publicly available sources and technical reports believed to be reliable but has not been independently verified by the Company. The Company encourages readers to exercise appropriate caution when evaluating these data and/or results.
- **Mineral Resource Estimate (MRE):** All scientific and technical information relating to Manhattan pertaining to Maiden MRE contained in this news release is derived from the Technical Report dated April 23, 2026 (with an effective date of June 4, 2025) titled "Mineral Resource Estimate and NI 43-101 Technical Report" (the "Technical Report") prepared by Matthew R. Dumala, P.Eng (BC) of Archer Cathro Geological (US) Ltd., Patrick Loury, M.Sc., CPG (AIPG) of Daniel Kunz & Associates, Annaliese Miller, LG (WA) of Geosyntec Consultants, Inc. and Art Ibrado, PhD, PE (AZ) of Fort Lowell Consulting PPLC. The information contained herein in respect of the Maiden MRE is subject to all of the assumptions, qualifications and procedures set out in the Technical Report and reference should be made to the full text of the Technical Report, a copy of which has been filed with the applicable securities regulators and is available under the Company's profile on [www.sedarplus.ca](http://www.sedarplus.ca).
- **Historical MRE:** A Qualified Person has not done sufficient work to make the Historical MRE current, and the Company is not treating the Historical MRE as current.

The Company considers the Historical MRE relevant as it demonstrates the presence of significant gold mineralization across multiple zones within Manhattan; however, its reliability is uncertain because it was prepared prior to the adoption of the current CIM Definition Standards and current QA/QC practices. The Historical MRE provides limited disclosure of assumptions, parameters, estimation methods, cutoff grades, and QA/QC protocols, and therefore these cannot be fully verified by the Company. The categories used in the historical estimate predate, and are not directly comparable to, current CIM Definition Standards, and the Company is not treating the Historical MRE as a current Mineral Resource Estimate. To upgrade and verify the Historical MRE in order to make it a current Mineral Resource Estimate, the Company would be required to undertake confirmatory drilling, modern QA/QC sampling, validation and digitization of historical datasets and updated geological modeling followed by the preparation of a new Mineral Resource Estimate in accordance with CIM Definition Standards and NI 43-101. The Company encourages readers to exercise appropriate caution when evaluating the Historical MRE.

All scientific and technical information relating to Manhattan pertaining to the Historical MRE contained in this news release is derived from the Technical Report dated May 1997 titled "Exploration and Pre-Production Mine Development, Manhattan District Project, Nye County" (the "Historical Technical Report") prepared by New Concept Mining, Inc. The information contained herein in respect of the Historical MRE is subject to all the assumptions, qualifications and procedures set out in the Historical Technical Report and reference should be made to the full text of the Historical Technical Report.

- References: (1) Strachan, D. G., and Master, T. D., 2005: Update and Revision of the Gold Wedge Project Development, Nye County. Report prepared for Nevada; [Royal Standard Minerals Inc.](#) and dated March 31, 2005; (2) Dumala, M. R., and Lowry, P., 2025: Mineral Resource Estimate and NI 43-101 Technical Report, Manhattan Property, Nye County, Nevada. Report prepared for Scorpio Gold Corporation and dated October 23, 2025 (with an effective date of June 4, 2025); and (3) Berry, A., and Willard, P., 1997: "Exploration and Pre-Production Mine Development, Manhattan District Project, Nye County". Report prepared for New Concept Mining, Inc. and dated May 1997.

#### Qualified Person

The scientific and technical information in this news release has been reviewed, verified and approved by Thomas Poitras, P. Geo., Chief Geologist of Scorpio Gold, a "Qualified Person", as defined under National Instrument 43-101 Standards of Disclosure for Mineral Projects. Verification included review of laboratory certificates, review of field logs and chain-of-custody records, inspection of blank/standard/duplicate performance, and review of collar and down-hole survey data. No limitations or failures to verify were identified.

#### About Scorpio Gold Corp.

Scorpio Gold holds a 100% interest in the Manhattan District located in the Walker Lane Trend of Nevada, USA. Scorpio Gold's Manhattan District is ~4,780-hectares and comprises the advanced exploration-stage Goldwedge Mine, with a 400 ton per day maximum capacity gravity mill, and four past-producing pits that were acquired from Kinross in 2021 (see news release dated March 25, 2021 <https://scorpiogold.com/news/scorpio-gold-closes-purchase-of-kinross-manhattan-property-nye-county-nevada/>). The consolidated Manhattan District presents an exciting late-stage exploration opportunity, with over 140,000 metres of historical drilling, significant resource potential, and valuable permitting and water rights.

Neither the TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the Exchange) accepts responsibility for the adequacy or accuracy of this release.

#### ON BEHALF OF THE BOARD OF SCORPIO GOLD CORPORATION

Zayn Kalyan, Chief Executive Officer and Director  
Tel: (604)-252-2672  
Email: [zayn@scorpiogold.com](mailto:zayn@scorpiogold.com)

Investor Relations Contact:  
Kin Communications Inc.  
Tel: (604) 684-6730  
Email: [SGN@kincommunications.com](mailto:SGN@kincommunications.com)

Connect with Scorpio Gold:  
Email | Website | Facebook | LinkedIn | X | YouTube  
To register for investor updates please visit: [scorpiogold.com](https://scorpiogold.com)  
(TSXV: SGN) (OTCQB: SRCRF) (FSE: RY9)

#### Forward-Looking Statements

This news release contains statements that constitute "forward-looking statements" or "forward-looking information" within the meaning of applicable securities laws (collectively, "forward-looking statements"). Such forward-looking statements involve known and unknown risks, uncertainties and other factors that may cause the Company's actual results, performance or achievements, or developments to differ materially from the anticipated results, performance or achievements expressed or implied by such forward-looking statements. Forward-looking statements are statements that are not historical facts and are generally, but not always, identified by the words "expects," "plans," "anticipates," "believes," "intends," "estimates," "projects," "potential" and similar expressions, or that events or conditions "will," "would," "may," "could" or "should" occur. Forward-looking statements are based on the beliefs, estimates and opinions of the Company's management as of the date of this news release.

Forward-looking statements in this news release include, among others, statements relating to: the timing, scope and interpretation of assay results; potential for resource growth and discovery; the potential continuity, extent, grade and characteristics of mineralization along the Reliance Trend, Black Mammoth, Gap Zone, Zanzibar Trend and Mustang Hill; the intended follow-up exploration activities and timing thereof; the Company's exploration plans and objectives; expected future drilling programmes; anticipated timing of future disclosures and announcements; and other statements that are not historical facts. In making the forward-looking statements in this news release, the Company has applied several material assumptions, including: that the Company will be able to obtain sufficient financing to complete planned exploration activities; that the Company will be able to obtain necessary permits and regulatory approvals in a timely manner; that exploration results will be consistent with management's expectations; that general business and economic conditions will not change in a materially adverse manner; that equipment and qualified personnel will be available when required; and that the Company's interpretations of geological data are accurate. By their nature, forward-looking statements involve known and unknown risks, uncertainties and other factors which may cause our actual results, performance or achievements, or other future events, to be materially different from any future results, performance or achievements expressed or implied by such forward-looking statements. Such factors and risks include, among others: the Company may require additional financing from time to time in order to continue its operations, which may not be available when needed or on acceptable terms and conditions; the inherent risks involved in the exploration and development of mineral properties, including uncertainties related to the interpretation of drill results and other geological data; fluctuations in commodity prices; compliance with extensive government regulation and changes in domestic and foreign laws and regulations that could adversely affect the Company's business and results of operations; uncertainties related to obtaining necessary permits and regulatory approvals; risks related to the Company's ability to retain key personnel; environmental risks and hazards; title matters and surface rights issues; competition in the mining industry; the stock markets have experienced volatility that often has been unrelated to the performance of companies and these fluctuations may adversely affect the price of the Company's securities, regardless of its operating performance; and other risks and uncertainties disclosed in the Company's public filings.

The forward-looking information contained in this news release represents the expectations of the Company as of the date of this news release and, accordingly, is subject to change after such date. Readers should not place undue importance on forward-looking information and should not rely upon this information as of any other date. The Company undertakes no obligation to update these forward-looking statements in the event that management's beliefs, estimates or opinions, or other factors, should change.

To view the source version of this press release, please visit <https://www.newsfilecorp.com/release/300486>

---

Dieser Artikel stammt von [Rohstoff-Welt.de](https://www.rohstoff-welt.de)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/736760--Scorpio-Gold-Drills-1.27-g-t-Gold-over-45.23-Metres-from-137.95-Metres-Along-Caldera-Margin-at-Goldwedge.htm>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

---

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!  
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).