

Southern Cross Gold Drills 36.6 m @ 4.0 g/t Au and 1.0% Sb

12:00 Uhr | [Newsfile](#)

Vancouver, June 10, 2026 - [Southern Cross Gold Consolidated Ltd.](#) (TSX: SXGC) (ASX: SX2) (OTCQX: SXGCF) (FSE: MV3) ("SXGC", "SX2" or the "Company") announces results from seven drill holes from the Apollo and Apollo East prospect from the 100%-owned Sunday Creek Gold-Antimony Project in Victoria (Figures 1 to 5). Best results included 36.6 m @ 6.5 g/t AuEq (4.0 g/t Au, 1.0% Sb) from 700.0 m in drill hole SDDSC202. The true thickness of the mineralized intervals is interpreted to be approximately 55% to 75% of the sampled thickness for all reported holes.

Four High Level Takeaways:

1. Best new intersection of 36.6 m @ 6.5 g/t AuEq (4.0 g/t Au, 1.0% Sb) from 700.0 m in SDDSC202, with high grade assays up to 493 g/t Au and 29.1% Sb, with two previously unmodelled high-grade zones adding to the Apollo East vein architecture.
2. SDDSC214W1 returned the most easterly mineralization identified within the main drill area to date (Figure 3), expanding Apollo East a further 20 m east with intersections on new vein sets including 0.5 m @ 251.4 g/t AuEq (232.0 g/t Au, 8.1% Sb) from 605.2 m and individual assays up to 362.0 g/t Au.
3. Shallowest Apollo East results to date in SDDSC217, a ~97 m updip extension confirming strong antimony tenor near surface, with 0.1 m @ 130.6 g/t AuEq (55.8 g/t Au, 31.3% Sb) from 324.9 m.
4. Mineralization continues to step out and grow at depth and along strike, with seven assays exceeding 100 g/t Au and five exceeding 20% Sb across the holes reported, while eleven rigs and 67 pending holes continue the 200,000 m program to Q1 2027.

Michael Hudson, President & CEO, states: "These seven holes continue to do what Sunday Creek does best, growing the system in every direction we test. SDDSC202 delivered a standout 36.6 m at 6.5 g/t AuEq with high grade assays up to 493 g/t gold, while SDDSC214W1 has pushed mineralization to the most easterly position yet identified anywhere on the property, opening up new ground at Apollo East. The shallow, antimony-rich results up to 31.3% Sb in SDDSC217 are equally important, confirming strong critical-metal tenor close to surface. With eleven rigs turning and 67 holes pending, we are only accelerating as we drive toward defining the full extent of this exceptional gold-antimony system."

For Those Who Like the Details - Highlights:

- SDDSC202 (Apollo East) - drilled east to west and targeted the Apollo East prospect, intersecting 9 vein sets and 6 high-grade veins, of which 2 were previously not recognised or modelled.
 - 0.2 m @ 58.6 g/t AuEq (34.9 g/t Au, 9.9% Sb) from 538.8 m
 - 36.6 m @ 6.5 g/t AuEq (4.0 g/t Au, 1.0% Sb) from 700.0 m, including:
 - 2.7 m @ 34.0 g/t AuEq (18.4 g/t Au, 6.5% Sb) from 703.0 m
 - 1.5 m @ 27.3 g/t AuEq (25.2 g/t Au, 0.9% Sb) from 712.1 m
 - 0.1 m @ 502.3 g/t AuEq (493.0 g/t Au, 3.9% Sb) from 778.1 m
 - 1.3 m @ 30.6 g/t AuEq (14.9 g/t Au, 6.6% Sb) from 894.3 m, a 50 m step down from SDDSC145
 - Individual assays included 493.0 g/t Au, 132.0 g/t Au, 106.0 g/t Au with 25.70% Sb, and 29.10% Sb.
- SDDSC214 & SDDSC214W1 (Apollo) drilled east to west and targeted the Apollo East and the deeper portions of the Apollo prospect, a daughter hole SDDSC214W1 was completed to achieve appropriate drillhole spacing in Apollo Deeps intersecting 4 vein sets and 3 high-grade vein sets, of which 2 were previously not recognised or modelled, expanding Apollo East 20 m east
 - 0.5 m @ 251.4 g/t AuEq (232.0 g/t Au, 8.1% Sb) from 605.2 m
 - 1.2 m @ 17.8 g/t AuEq (13.9 g/t Au, 1.7% Sb) from 596.3 m
 - 12.1 m @ 4.0 g/t AuEq (3.5 g/t Au, 0.2% Sb) from 634.6 m, including:
 - 1.6 m @ 24.2 g/t AuEq (22.9 g/t Au, 0.5% Sb)
 - 2.2 m @ 45.0 g/t AuEq (44.9 g/t Au, 0.0% Sb) from 991.9 m, including:
 - 0.2 m @ 362.3 g/t AuEq (362.0 g/t Au)
 - Individual assays included 362.0 g/t Au, 232.0 g/t Au with 8.11% Sb, and 207.0 g/t Au.
- SDDSC217 (Apollo East) was drilled east to west and targeted the shallow upper portion of Apollo East. These results are the shallowest Apollo East results to date and represent a 100 m up-dip extension
 - 0.9 m @ 31.0 g/t AuEq (12.6 g/t Au, 7.7% Sb) from 312.3 m, including:
 - 0.3 m @ 84.9 g/t AuEq (33.3 g/t Au, 21.6% Sb)
 - 0.1 m @ 130.6 g/t AuEq (55.8 g/t Au, 31.3% Sb) from 324.9 m
- SDDSC212 (Apollo East) - drilled east to west to target upper Apollo and to provide control to up-dip extensions of Apollo East. Better results included:
 - 3.0 m @ 2.1 g/t AuEq (1.6 g/t Au, 0.2% Sb) from 432.0 m
- SDDSC204 (Apollo Deeps) - drilled east to west and targeted down-dip extension to Apollo Deeps 50 metres below the current exploration target boundaries:
 - 1.3 m @ 4.5 g/t AuEq (4.4 g/t Au, 0.0% Sb) from 1,095.5 m
 - 4.5 m @ 1.6 g/t AuEq (1.5 g/t Au, 0.0% Sb) from 1,102.0 m

- SDDSC209 (Apollo East) - south-to-north control hole, eastern side of the Goliath fault
 - Drilled to validate orientation and offsets in the geological model; dyke intersected several times downhole, providing important control for the eastern margin of the Apollo system.

Drill Hole Discussion

Seven drill holes are reported here targeting the Apollo and Apollo East prospects, drilled in an east-to-west orientation to optimize high intersection angles across the steeply dipping vein architecture, with one south-to-north oriented control hole (SDDSC209) drilled to validate geological controls on the eastern side of the Goliath fault.

Seven (7) individual assays exceeding 100 g/t Au and five (5) individual Sb assays greater than 20% Sb were intersected amongst the seven holes reported showing the continued high-grade growth in Apollo as the exploration continues to step out and expand the known boundaries of the mineralization.

SDDSC202

SDDSC202 was drilled east to west and targeted the Apollo East prospect, intersecting 9 vein sets and 6 high-grade veins, of which 2 were previously not recognised or modelled.

4 individual assays exceeded 100 g/t Au and 3 individual assays exceeded 20% antimony:

- 106.0 g/t Au & 25.70% Sb over 0.18 m from 704.87 m
- 132.0 g/t Au & 2.26% Sb over 0.18 m from 712.67 m
- 493.0 g/t Au & 3.89% Sb over 0.10 m from 778.10 m
- 102.0 g/t Au & 15.00% Sb over 0.13 m from 785.64 m
- 91.5 g/t Au & 29.10% Sb over 0.28 m from 704.59 m
- 81.5 g/t Au & over 0.22 m from 894.64 m - a 50 m step down from SDDSC145 0.5 m @ 2544.5 g/t AuEq (2541.9 g/t Au, 1.1% Sb) from 876.4 m December 9th 2024

Selected composite highlights include:

- 0.2 m @ 58.6 g/t AuEq (34.9 g/t Au, 9.9% Sb) from 538.8 m
- 1.5 m @ 8.7 g/t AuEq (7.6 g/t Au, 0.4% Sb) from 690.6 m
- 36.6 m @ 6.5 g/t AuEq (4.0 g/t Au, 1.0% Sb) from 700.0 m
 - Including 2.7 m @ 34.0 g/t AuEq (18.4 g/t Au, 6.5% Sb) from 703.0 m
 - Including 1.5 m @ 27.3 g/t AuEq (25.2 g/t Au, 0.9% Sb) from 712.1 m
 - Including 2.4 m @ 12.3 g/t AuEq (9.4 g/t Au, 1.2% Sb) from 723.6 m
- 2.3 m @ 5.5 g/t AuEq (4.9 g/t Au, 0.2% Sb) from 750.5 m
- 0.1 m @ 502.3 g/t AuEq (493.0 g/t Au, 3.9% Sb) from 778.1 m

- 1.5 m @ 12.8 g/t AuEq (9.2 g/t Au, 1.5% Sb) from 784.3 m
 - Including 0.8 m @ 22.9 g/t AuEq (16.4 g/t Au, 2.7% Sb) from 785.0 m
- 2.1 m @ 11.9 g/t AuEq (5.0 g/t Au, 2.9% Sb) from 789.0 m
- 1.3 m @ 30.6 g/t AuEq (14.9 g/t Au, 6.6% Sb) from 894.3 m
 - Including 0.9 m @ 42.4 g/t AuEq (20.4 g/t Au, 9.2% Sb) from 894.6 m

SDDSC204

SDDSC204 was drilled east to west and targeted down-dip extension to Apollo Deeps 50 metres below the current exploration target boundaries (Exploration Target March 3rd 2025). This drillhole intersected a faulted block of altered sediment and dyke which reduced the potential mineralization window within the drillhole. SDDSC204 did however provide valuable geological controls at depth and additional drillhole locations will be utilised for future Apollo Deeps drilling to allow for efficient testing. Selected composite highlights include:

- 1.3 m @ 4.5 g/t AuEq (4.4 g/t Au, 0.0% Sb) from 1095.5 m
- 4.5 m @ 1.6 g/t AuEq (1.5 g/t Au, 0.0% Sb) from 1102.0 m

SDDSC209

SDDSC209 was drilled south to north as a control hole on the eastern side of the Goliath fault, designed to test orientation and offsets used in the geological model rather than to deliver a primary mineralised intersection. Dyke was intersected several times downhole providing important geological control for the eastern margin of the Apollo system.

SDDSC212

SDDSC212 was drilled east to west to target upper Apollo and to provide control to up-dip extensions of Apollo East. Selected composite highlights include:

- 3.0 m @ 2.1 g/t AuEq (1.6 g/t Au, 0.2% Sb) from 432.0 m

SDDSC214 & SDDSC214w1

SDDSC214 was drilled east to west and targeted the Apollo East and the deeper portions of the Apollo prospect, a daughter hole SDDSC214W1 was completed to achieve appropriate drillhole spacing in Apollo Deeps intersecting 4 vein sets and 3 high-grade veins, of which 2 were previously not recognised or modelled, expanding Apollo East 20 m east. Three individual assays exceeded 100 g/t Au:

- 232.0 g/t Au & 8.11% Sb over 0.47 m from 605.18 m
- 207.0 g/t Au & 0.08% Sb over 0.14 m from 992.72 m
- 362.0 g/t Au & 0.13% Sb over 0.18 m from 993.97 m

Selected composite highlights include:

- 1.2 m @ 17.8 g/t AuEq (13.9 g/t Au, 1.7% Sb) from 596.3 m
 - Including 0.2 m @ 87.2 g/t AuEq (71.2 g/t Au, 6.7% Sb) from 596.3 m
- 0.5 m @ 251.4 g/t AuEq (232.0 g/t Au, 8.1% Sb) from 605.2 m
- 12.1 m @ 4.0 g/t AuEq (3.5 g/t Au, 0.2% Sb) from 634.6 m
 - Including 1.6 m @ 24.2 g/t AuEq (22.9 g/t Au, 0.5% Sb) from 634.6 m
- 2.2 m @ 45.0 g/t AuEq (44.9 g/t Au, 0.0% Sb) from 991.9 m
 - Including 0.5 m @ 64.5 g/t AuEq (64.4 g/t Au, 0.0% Sb) from 992.3 m
 - Including 0.2 m @ 362.3 g/t AuEq (362.0 g/t Au, 0.1% Sb) from 994.0 m

SDDSC217

SDDSC217 was drilled east to west and targeted the shallow upper portion of Apollo East. These results are the shallowest Apollo East results to date and represent a 100 m updip extension of the A157 veinset and SDDSC179 (0.4 m @ 14.0 g/t AuEq (12.4 g/t Au, 0.7% Sb) from 368.3 m December 17th 2025)

Two individual assays exceeded 20% antimony, highlighting the high antimony presence in the shallow part of the system, including:

- 21.60% Sb & 33.3 g/t Au over 0.33 m from 312.28 m
- 31.30% Sb & 55.8 g/t Au over 0.13 m from 324.90 m

Selected composite highlights include:

- 0.9 m @ 31.0 g/t AuEq (12.6 g/t Au, 7.7% Sb) from 312.3 m
 - Including 0.3 m @ 84.9 g/t AuEq (33.3 g/t Au, 21.6% Sb) from 312.3 m
- 0.1 m @ 130.6 g/t AuEq (55.8 g/t Au, 31.3% Sb) from 324.9 m

Pending Results and Update

Eleven drill rigs are currently operational on the Sunday Creek project. Results are pending from 67 holes currently being processed and analyzed including eleven holes that are actively being drilled and two abandoned hole (Figure 2). The Company continues its ongoing 200,000 m drill program through to Q1 2027.

About Sunday Creek

The Sunday Creek epizonal-style gold project is located 60 km north of Melbourne within 16,900 hectares ("Ha") of granted exploration tenements. SXGC is also the freehold landholder of 1,392 Ha that forms the key portion in and around the main drilled area at the Sunday Creek Project.

Gold and antimony form in a relay of vein sets that cut across a steeply dipping zone of intensely altered rocks (the "host"). These vein sets are like a "Golden Ladder" structure where the main host extends between the side rails deep into the earth, with multiple cross-cutting vein sets that host the gold forming the

rungs. At Apollo, Golden Dyke and Rising Sun these individual 'rungs' have been defined over 600 m depth extent from surface to over 1,200 m below surface, are 2.5 m to 3.5 m wide (median widths) (and up to 10 m), and 20 m to 100 m in strike.

Cumulatively, 262 drill holes for 123,974.14 m have been reported from Sunday Creek since late 2020. This amount includes five holes for 929 m that have been drilled for geotechnical purposes and 22 holes for 2,972.92m that were abandoned due to deviation or hole conditions. Fourteen drill holes for 2,383 m have been reported regionally outside of the main Sunday Creek drill area with eleven additional regional holes currently being processed. A total of 64 historic drill holes for 5,599 m were completed from the late 1960s to 2008. The project now contains a total of ninety-six (96) composite intersections exceeding 100 g/t Au and eighty (80) composite intersections between 50 g/t and 100 g/t Au, and one-hundred and twelve (112) composite intersections exceeding 10% Sb by applying a 1 m (down hole length) @ 5 g/t AuEq lower cut.

Southern Cross Gold's systematic drill program is strategically targeting these significant vein formations, which are currently defined over 1,550 m strike of the host dyke/sediment ("rails of the ladder") from Christina to Apollo prospects, of which approximately 650 m has been more intensively drill tested (Golden Dyke to Apollo). At least 115 'rungs' have been defined to date, defined by high-grade intercepts (20 g/t Au to >7,330 g/t Au) along with lower grade edges. Ongoing step-out drilling is aiming to uncover the potential extent of this mineralized system (Figure 2).

Geologically, the project is located within the Melbourne Structural Zone in the Lachlan Fold Belt. The regional host to the Sunday Creek mineralization is an interbedded turbidite sequence of siltstones and minor sandstones metamorphosed to sub-greenschist facies and folded into a set of open north-west trending folds.

Further Information

Further discussion and analysis of the Sunday Creek project is available through the interactive Vrifly 3D animations, presentations and videos all available on the SXGC website. These data, along with an interview on these results with President & CEO/Managing Director Michael Hudson can be viewed at www.southerncrossgold.com.

No upper gold grade cut is applied in the averaging and intervals are reported as drill thickness. However, during future Mineral Resource studies, the requirement for assay top cutting will be assessed. The Company notes that due to rounding of assay results to one significant figure, minor variations in calculated composite grades may occur.

Figures 1 to 5 show project location, plan and longitudinal views of drill results reported here and Tables 1 to 3 provide collar and assay data. The true thickness of the mineralized intervals reported individually as estimated true widths ("ETW"), otherwise they are interpreted to be approximately 55% to 75% of the sampled thickness for other reported holes. Lower grades were cut at 1.0 g/t AuEq lower cutoff over a maximum width of 2 m with higher grades cut at 5.0 g/t AuEq lower cutoff over a maximum of 1 m width.

Critical Metal Epizonal Gold-Antimony Deposits

Sunday Creek (Figure 5) is an epizonal gold-antimony deposit formed in the late Devonian (like Fosterville, Costerfield and Redcastle), 60 million years later than mesozonal gold systems formed in Victoria (for example Ballarat and Bendigo). Epizonal deposits are a form of orogenic gold deposit classified according to their depth of formation: epizonal (<6 km), mesozonal (6 km to 12 km) and hypozonal (>12 km).

Epizonal deposits in Victoria often have associated high levels of the critical metal, antimony, and Sunday Creek is no exception. China claims a 56 per cent share of global mined supplies of antimony, according to a 2023 European Union study. Antimony features highly on the critical minerals lists of many countries including Australia, the United States of America, Canada, Japan and the European Union. Australia ranks seventh for antimony production despite all production coming from a single mine at Costerfield in Victoria, located nearby to all SXGC projects. Antimony alloys with lead and tin which results in improved properties for solders, munitions, bearings and batteries. Antimony is a prominent additive for halogen-containing flame retardants. Adequate supplies of antimony are critical to the world's energy transition, and to the high-tech

industry, especially the semi-conductor and defence sectors where it is a critical additive to primers in munitions.

Antimony represents approximately 21% to 24% in situ recoverable value of Sunday Creek at an AuEq of 2.39 ratio.

About Southern Cross Gold Consolidated Limited (TSX: SXGC) (ASX: SX2) (OTCQX: SXGCF) (FSE: MV3)

Southern Cross Gold Consolidated Ltd. (TSX: SXGC) (ASX: SX2) (OTCQX: SXGCF), is defining a leading gold-antimony project at the Sunday Creek Gold-Antimony Project, located 60 km north of Melbourne. Sunday Creek is a significant gold and antimony drill discovery in a Tier 1 location, with high-grade drill results including 96 composite intersections exceeding 100 g/t Au from 129,573 km of drilling. The mineralization follows a "Golden Ladder" structure over 12 km of strike length, with structures tested from surface to 1,100 m depth.

Sunday Creek's strategic value is enhanced by its dual-metal profile. The Company has a critical mineral the Western world needs. This has gained increased significance following China's export restrictions on antimony, a critical metal for defence and semiconductor applications. Southern Cross' inclusion in the US Defense Industrial Base Consortium (DIBC) and Australia's AUKUS-related legislative changes position it as a potential key Western antimony supplier.

Technical fundamentals further strengthen the investment case, with preliminary metallurgical work showing non-refractory mineralization suitable for conventional processing and gold recoveries of 93% to 98% through gravity and flotation.

With a strong cash position, 1,392 Ha of strategic freehold land ownership, and a large 200 km drill program planned through Q1 2027, SXGC is well-positioned to advance this globally significant gold-antimony discovery in a tier-one jurisdiction, delivering milestone by milestone.

- Ends -

For ASX Compliance: This announcement has been approved for release by the Board of Southern Cross Gold Consolidated Ltd.

For further information, please contact:

Mariana Bermudez - Corporate Secretary

mb@southerncrossgold.com or +1 604 685 9316

Executive Office

1305 - 1090 West Georgia Street Vancouver, BC, V6E 3V7, Canada

Nicholas Mead - Corporate Development

info@southerncrossgold.com.au or +61 415 153 122

Justin Mouchacca, Assistant Company Secretary,

jm@southerncrossgold.com.au or +61 3 8630 3321

Subsidiary Office

Level 21, 459 Collins Street, Melbourne, VIC, 3000, Australia

NI 43-101 Technical Background and Qualified Person

Kenneth Bush, Head of Exploration for SXGC, a Member of Australian Institute of Geoscientists and a Registered Professional Geologist in the fields of Mining and Exploration (#10315), is the Qualified Person as defined by the NI 43-101. They have prepared, reviewed, verified and approved the technical contents of this release.

Analytical samples are transported to the Bendigo facility of On Site Laboratory Services ("On Site") which operates under both an ISO 9001 and NATA quality systems. Samples were prepared and analyzed for gold using the fire assay technique (PE01S method; 25 gram charge), followed by measuring the gold in solution with flame AAS equipment. Samples for multi-element analysis (BM011 and over-range methods as required) use aqua regia digestion and ICP-MS analysis. The QA/QC program of Southern Cross Gold consists of the systematic insertion of certified standards of known gold content, blanks within interpreted mineralized rock and quarter core duplicates. In addition, On Site inserts blanks and standards into the analytical process.

SXGC considers that both gold and antimony that are included in the gold equivalent calculation ("AuEq") have reasonable potential to be recovered and sold at Sunday Creek, given current geochemical understanding, historic production statistics and geologically analogous mining operations. Historically, ore from Sunday Creek was treated onsite or shipped to the Costerfield mine, located 54 km to the northwest of the project, for processing during WW1. The Costerfield mine corridor, now owned by Alkane Resources (previously Mandalay Resources) contains two million ounces of equivalent gold (Mandalay Resources Q3 2021 Results), and in 2020 was the sixth highest-grade global underground mine and a top 5 global producer of antimony.

SXGC considers that it is appropriate to adopt the same gold equivalent variables as Mandalay Resources Ltd in its 2024 End of Year Mineral Reserves and Resources Press Release, dated February 20, 2025. The gold equivalence formula used by Mandalay Resources was calculated using Costerfield's 2024 production costs, using a gold price of US\$2,500 per ounce, an antimony price of US\$19,000 per tonne and 2024 total year metal recoveries of 91% for gold and 92% for antimony, and is as follows:

$$\text{AuEq} = \text{Au (g/t)} + 2.39 \times \text{Sb (\%)}$$

Based on the latest Costerfield calculation and given the similar geological styles and historic toll treatment of Sunday Creek mineralization at Costerfield, SXGC considers that a $AuEq = Au (g/t) + 2.39 \times Sb (\%)$ is appropriate to use for the initial exploration targeting of gold-antimony mineralization at Sunday Creek.

JORC Competent Person Statement

Information in this announcement that relates to new exploration results contained in this report is based on information compiled by Mr Kenneth Bush a Member of Australian Institute of Geoscientists and a Registered Professional Geologist in the fields of Mining and Exploration (#10315). Mr Bush has sufficient experience relevant to the style of mineralization and type of deposit under consideration, and to the activities undertaken, to qualify as a Competent Person as defined in the 2012 Edition of the Joint Ore Reserves Committee (JORC) Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves. Mr Bush is Head of Exploration of Southern Cross Gold Consolidated Limited and consents to the inclusion in the report of the matters based on their information in the form and context in which it appears.

Certain information in this announcement that relates to prior exploration results is extracted from the Independent Geologist's Report dated 11 December 2024 which was issued with the consent of the Competent Person, Mr Steven Tambanis. The report is included in the Company's prospectus dated 11 December 2024 and is available at www.asx.com.au under code "SX2". The Company confirms that it is not aware of any new information or data that materially affects the information related to exploration results included in the original market announcement. The Company confirms that the form and context of the Competent Persons' findings in relation to the report have not been materially modified from the original market announcement.

Certain information in this announcement also relates to prior drill hole exploration results, extracted from the following announcements, which are available to view on www.southerncrossgold.com:

- 4 October, 2022 SDDSC046, 20 October, 2022 SDDSC049, 5 September, 2023 SDDSC077B, 12 October, 2023 SDDL003 & 4, 23 October, 2023 SDDSC082, 9 November, 2023 SDDSC091, 14 December, 2023 SDDSC092, 5 March, 2024 SDDSC107, 30 May, 2024 SDDSC117, 13 June, 2024 SDDSC118, 5 September, 2024 SDDSC130, 28 October, 2024 SDDSC137W2, 28 November, 2024 SDDSC141, 9 December, 2024 SDDSC145, 18 December, 2024 SDDSC129 & 144, 28 May, 2025 SDDSC161, 16 June, 2025 SDDSC162, 26 August, 2025 SDDSC171, 8 September, 2025 SDDSC170A,

The Company confirms that it is not aware of any new information or data that materially affects the information included in the original document/announcement and the Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement.

Forward-Looking Statement

This news release contains forward-looking statements. Forward-looking statements involve known and unknown risks, uncertainties and assumptions and accordingly, actual results and future events could differ materially from those expressed or implied in such statements. You are hence cautioned not to place undue reliance on forward-looking statements. All statements other than statements of present or historical fact are forward-looking statements. Forward-looking statements include words or expressions such as "proposed", "will", "subject to", "near future", "in the event", "would", "expect", "prepared to" and other similar words or expressions. Factors that could cause future results or events to differ materially from current expectations expressed or implied by the forward-looking statements include general business, economic, competitive, political, social uncertainties; the state of capital markets, unforeseen events, developments, or factors causing any of the expectations, assumptions, and other factors ultimately being inaccurate or irrelevant; and other risks described in the Company's documents filed with Canadian or Australian (under code SX2) securities regulatory authorities. You can find further information with respect to these and other risks in filings made by the Company with the securities regulatory authorities in Canada or Australia (under code SX2), as applicable, and available for the Company in Canada at www.sedarplus.ca or in Australia at www.asx.com.au (under code SX2). Documents are also available at www.southerncrossgold.com The

Company disclaims any obligation to update or revise these forward-looking statements, except as required by applicable law.

Figure 1: Sunday Creek plan view showing selected results from holes SDDSC202, SDDSC204, SDDSC209, SDDSC212, SDDSC214, SDDSC214W1 and SDDSC217 reported here (dark blue highlighted box, black trace), with selected prior reported drill holes.

To view an enhanced version of this graphic, please visit:
https://images.newsfilecorp.com/files/11541/300850_b0565beae4404acc_001full.jpg

Figure 2: Sunday Creek plan view showing selected drill hole traces from holes SDDSC202, SDDSC204, SDDSC209, SDDSC212, SDDSC214, SDDSC214W1 and SDDSC217 reported here (black trace), with prior reported drill holes (grey trace) and currently drilling and assays pending hole traces (dark blue).

To view an enhanced version of this graphic, please visit:
https://images.newsfilecorp.com/files/11541/300850_b0565beae4404acc_002full.jpg

Figure 3: Sunday Creek longitudinal section across A-B in the plane of the dyke breccia/altered sediment host looking towards the NW (striking 56 degrees) indicating mineralized vein sets. Showing holes SDDSC202, SDDSC204, SDDSC209, SDDSC212, SDDSC214, SDDSC214W1 and SDDSC217 reported here (dark blue highlighted box, black trace), with selected intersections and prior reported drill holes. The vertical extents of the vein sets are limited by proximity to drill hole pierce points.

To view an enhanced version of this graphic, please visit:
https://images.newsfilecorp.com/files/11541/300850_b0565beae4404acc_003full.jpg

Figure 4: Sunday Creek regional plan view showing soil sampling, structural framework, regional historic epizonal gold mining areas and broad regional areas tested by 12 holes for 2,383 m drill program. The regional drill areas are at Tonstal, Consols and Leviathan located 4,000 m to 7,500 m along strike from the main drill area at Golden Dyke- Apollo. Map in GDA94/ MGA Zone 55.

To view an enhanced version of this graphic, please visit:
https://images.newsfilecorp.com/files/11541/300850_b0565beae4404acc_004full.jpg

Figure 5: Location of the Sunday Creek project, along with the 100% owned Redcastle Gold-Antimony Project

To view an enhanced version of this graphic, please visit:
https://images.newsfilecorp.com/files/11541/300850_b0565beae4404acc_005full.jpg

Table 1: Drill collar summary table for recent drill holes in progress.

This Release

Hole ID	Depth (m)	Prospect	East		North		Elevation (m)	Dip	Azimuth	
			GDA94	Z55	GDA94	Z55			GDA94	Z55
SDDSC202	947.76	Apollo	331596.2	5867936.6	345.6	-43.4	266.9			
SDDSC204	1208.3	Apollo	331615.6	5867952.4	346.5	-58.2	270.4			
SDDSC209	271.58	Apollo East	331463.3	5867746.4	341.2	-30.5	34			

SDDSC212	438.7	Apollo East	331464.9	5867866.4	333.2	-33.2	261.3
SDDSC214	431.6	Apollo	331615.6	5867951.1	346.94	-55.2	268.9
SDDSC214W1	1043.5	Apollo	331615.6	5867951.1	346.94	-55.2	268.9
SDDSC217	490.7	Apollo East	331481.2	5867839.5	335.4	-25	261.9

Currently being processed and analyzed

Hole ID	Depth (m)	Prospect	East		North		Elevation (m)	Dip	Azimuth	
			GDA94	Z55	GDA94	Z55			GDA94	Z55
SDDSC201	321.4	Rising Sun	330948.3	5868003.4	313.3	-28.9	231.3			
SDDSC205	1211.4	Rising Sun	330339.8	5867858.5	276.8	-64.6	75.8			
SDDSC207	584.25	Christina	330094.8	5867459.3	278.3	-48.8	20.7			
SDDSC213	941.44	Golden Dyke	330094.2	5867458.6	278.3	-62.6	14.6			
SDDSC215	476.39	Regional	331603.6	5867183.7	304.9	-38.2	15.4			
SDDSC216A	572.36	Golden Dyke	330701.2	5867880.5	299.6	-46.1	250.6			
SDDSC218	796.99	Golden Dyke	330813.6	5867847.5	301.1	-47.6	265.5			
SDDSC219	392.2	Golden Dyke	330701.5	5867880.3	299.6	-49.2	247.8			
SDDSC220	716.7	Christina	329779.1	5867552.6	286.59	-26.5	70.5			
SDDSC221	926.54	Golden Dyke	330754.1	5867733	307	-50.6	285.3			
SDDSC222	792.29	Apollo	331596.1	5867936.9	345.43	-51.5	267.7			
SDDSC222W1	1065.5	Apollo	331596.1	5867936.9	345.43	-51.5	267.7			
SDDSC223	435.25	Apollo East	331483	5867839.8	335.72	-33.9	262.2			
SDDSC224	496.9	Golden Dyke	330700.6	5867879.9	299.62	-36.8	246.6			
SDDSC225	992.82	Christina	330754.5	5867733	306.93	-52.9	284.8			
SDDSC226	826.1	Rising Sun	331276.9	5867121.1	289.09	-56.4	336.5			
SDDSC226A	In Progress plan 1900 m	Rising Sun	331278.1	5867112.6	289.16	-56.8	330.4			
SDDSC226W1	603.9	Rising Sun	331276.9	5867121.1	289.09	-56.4	336.5			
SDDSC227	412	Apollo East	331483.8	5867840.3	335.83	-36.6	266.5			
SDDSC228	447.8	Golden Dyke	330700.9	5867880.2	299.48	-47.1	245.2			
SDDSC229	541.8	Golden Dyke	330813.6	5867847.5	301.1	-48.5	266.9			
SDDSC230	1129.3	Rising Sun	330353.9	5867861.1	277.2	-65.1	77			
SDDSC230W1	1415	Rising Sun	330353.9	5867861.1	277.2	-65.1	77			
SDDSC231	1196.4	Rising Sun	330339.6	5867858.6	277	-70.3	71.1			
SDDSC232	516.5	Christina	329777.6	5867552.2	286.76	-34.1	65.7			
SDDSC233	445.94	Golden Dyke	330700.8	5867880.1	299.55	-40.7	245			
SDDSC234	449	Apollo East	331484.5	5867840.3	335.75	-46.1	266.1			
SDDSC235	In Progress plan 1500 m	Christina	329776.6	5867552	286.8	-44.7	63.2			
SDDSC236	650.1	Golden Dyke	330813.6	5867847.5	301.1	-49.4	263.6			
SDDSC237	359	Golden Dyke	330700.4	5867880.1	299.67	-43.2	245.7			
SDDSC237W1	510.47	Golden Dyke	330700.4	5867880.1	299.67	-43.2	299.7			
SDDSC239	915.63	Golden Dyke	330753.1	5867731.5	306.9	-31	270.2			
SDDSC240	In Progress plan 1250 m	Rising Sun	330353.9	5867861.1	277.2	-58.3	73.9			
SDDSC241	418.6	Golden Dyke	330700.9	5867879.7	299.8	-39.1	243.5			
SDDSC242A	370.8	Golden Dyke	330814	5867848	301	-45.7	255.1			
SDDSC242AW1	600	Golden Dyke	330814	5867848	301	0	0			
SDDSC243	1037.9	Apollo	331615.8	5867951.1	346.99	-59.5	269			
SDDSC245	548.8	Regional	331533.7	5867845.3	341.2	-40.7	156.1			
SDDSC246	760.3	Golden Dyke	330753.7	5867731.8	306.73	-39.5	274.6			
SDDSC247	193.6	Golden Dyke	330772.2	5867889.6	295.73	-32.3	248.5			
SDDSC248	572.5	Apollo	331291.3	5867825.7	316.38	-40.9	269.8			
SDDSC249	190	Golden Dyke	330772.7	5867889.6	295.74	-36.7	245.9			
SDDSC250	199.8	Golden Dyke	330772.4	5867889.9	295.7	-36.9	252.3			
SDDSC251	120.4	Apollo	331532.6	5867847.5	340.85	-31.9	270.4			
SDDSC251A	306.7	Apollo	331532.8	5867847.9	340.89	-31.7	273.7			
SDDSC252	200	Golden Dyke	330772.7	5867889.9	295.68	-40	249.9			
SDDSC253	349.4	Apollo	331595.8	5867936.9	345.63	-53.8	267.8			
SDDSC253W1	In Progress plan 1050 m	Apollo	331595.8	5867936.9	345.63	-53.8	267.8			
SDDSC255	540	Golden Dyke	330773	5867890	295.56	-41.4	251.2			
SDDSC256	In Progress plan 450 m	Golden Dyke	330775.7	5867890.8	295.4093	-31.2	246			
SDDSC257	In Progress plan 830 m	Golden Dyke	330813.6	5867847.5	301.1	-43	263.8			

SDDSC259	In Progress plan 830 m	Golden Dyke	330754.1	5867733.3	306.9	-43.6	273.6
SDDSC261	In Progress plan 1015 m	Apollo	331615.6	5867951	346.8	45.1	266.3

Regional holes currently being processed and analyzed

Hole ID	Depth (m)	Prospect	East GDA94 Z55	North GDA94 Z55	Elevation (m)	Dip	Azimuth GDA94 Z55
SDDRE016	410.45	Redcastle	302735	5927298	217	-50.3	67.7
SDDRE017	359.8	Beautiful Venus	305388.6	5926618	206.62	-50.9	68.9
SDDTS009	506	Tonstall	336984.3	5870557.1	524.7	-28.3	285
SDDTS008	511.37	Tonstall	336992.9	5870558.4	524	-35	29
SDDTS010	535.79	Tonstall	336993.7	5870557.9	524.1	-37	44.4
SDDTS011	401.32	Tonstall	336992.1	5870557.3	524.1	-43	18
SDDCN002	350	Consols	336041	5870691	484	-37	241
SDDL005A	420	Leviathan	334580	5870167	555.4	-31	206
SDDL005	32.4	Leviathan	334580	5870167	555	-33	206
SDDL006	In Progress plan 570 m	Leviathan	334580	5870167	555.4	-47	152
SDDCN003	In Progress plan 400 m	Consols	336043.5	5870690	484.1	193	-36 130

Abandoned drill holes currently being processed and analyzed

Hole ID	Depth (m)	Prospect	East GDA94 Z55	North GDA94 Z55	Elevation (m)	Dip	Azimuth GDA94 Z55
SDDSC216	131.2	Golden Dyke	330701	5867880.5	299.42	-46.3	252.5
SDDSC242	20.65	Golden Dyke	330814	5867848	301	-45.7	255.1

Table 2: Table of mineralized drill hole intersections reported from SDDSC202, SDDSC204, SDDSC209, SDDSC212, SDDSC214, SDDSC214W1 and SDDSC217 with two cutoff criteria. Lower grades cut at 1.0 g/t AuEq lower cutoff over a maximum of 2 m with higher grades cut at 5.0 g/t AuEq cutoff over a maximum of 1 m. Significant intersections and interval depths are rounded to one decimal place.

Hole number	From (m)	To (m)	Interval (m)	Au g/t	Sb %	AuEq g/t
SDDSC202	538.8	539.0	0.2	34.9	9.9	58.6
SDDSC202	690.6	692.1	1.5	7.6	0.4	8.7
SDDSC202	700.0	736.6	36.6	4.0	1.0	6.5
Including	703.0	705.6	2.7	18.4	6.5	34.0
Including	709.7	711.0	1.4	2.0	0.7	3.7
Including	712.1	713.6	1.5	25.2	0.9	27.3
Including	717.1	717.6	0.5	10.0	1.5	13.6
Including	723.6	726.0	2.4	9.4	1.2	12.3
Including	727.9	728.4	0.5	8.6	0.8	10.5
SDDSC202	750.5	752.8	2.3	4.9	0.2	5.5
Including	750.5	752.0	1.5	5.3	0.2	5.9
SDDSC202	759.3	760.8	1.6	1.9	0.8	4.0
SDDSC202	763.3	766.0	2.7	0.9	0.7	2.6
SDDSC202	778.1	778.2	0.1	493.0	3.9	502.3
SDDSC202	784.3	785.8	1.5	9.2	1.5	12.8
Including	785.0	785.8	0.8	16.4	2.7	22.9
SDDSC202	789.0	791.1	2.1	5.0	2.9	11.9
SDDSC202	894.3	895.6	1.3	14.9	6.6	30.6
Including	894.6	895.6	0.9	20.4	9.2	42.4
SDDSC204	1095.5	1096.8	1.3	4.4	0.0	4.5
SDDSC204	1102.0	1106.5	4.5	1.5	0.0	1.6
SDDSC212	356.7	359.2	2.5	0.9	0.0	0.9
SDDSC212	432.0	435.0	3.0	1.6	0.2	2.1
SDDSC212	437.5	438.7	1.2	1.7	0.0	1.8
SDDSC214W1	596.3	597.5	1.2	13.9	1.7	17.8
Including	596.3	596.6	0.2	71.2	6.7	87.2
SDDSC214W1	605.2	605.7	0.5	232.0	8.1	251.4
SDDSC214W1	634.6	646.6	12.1	3.5	0.2	4.0
Including	634.6	636.1	1.6	22.9	0.5	24.2
SDDSC214W1	657.1	660.6	3.5	0.3	0.2	0.7
SDDSC214W1	665.1	667.7	2.6	0.4	0.2	0.8

Hole number	From (m)	To (m)	Interval (m)	Au g/t	Sb %	AuEq g/t
SDDSC214W1	713.0	715.4	2.4	0.6	0.2	1.0
SDDSC214W1	760.3	760.6	0.3	10.0	0.0	10.0
SDDSC214W1	830.3	831.9	1.6	1.0	0.1	1.4
SDDSC214W1	991.9	994.2	2.2	44.9	0.0	45.0
Including	992.3	992.9	0.5	64.4	0.0	64.5
Including	994.0	994.2	0.2	362.0	0.1	362.3
SDDSC214W1	1036.5	1036.6	0.1	25.0	0.0	25.0
SDDSC217	312.3	313.2	0.9	12.6	7.7	31.0
Including	312.3	312.6	0.3	33.3	21.6	84.9
SDDSC217	324.9	325.0	0.1	55.8	31.3	130.6
SDDSC217	330.2	330.7	0.5	3.9	1.6	7.6

Table 3: All individual assays reported from SDDSC202, SDDSC204, SDDSC209, SDDSC212, SDDSC214, SDDSC214W1 and SDDSC217 reported here >0.1g/t AuEq. Individual assay and sample intervals are reported to two decimal places.

Hole number	From (m)	To (m)	Interval (m)	Au g/t	Sb %	AuEq g/t
SDDSC202	267.63	268.52	0.89	0.14	0.00	0.1
SDDSC202	506.66	507.28	0.62	0.17	0.00	0.2
SDDSC202	507.28	507.42	0.14	0.24	0.00	0.2
SDDSC202	509.65	510.43	0.78	0.28	0.00	0.3
SDDSC202	510.43	511.7	1.27	0.12	0.00	0.1
SDDSC202	528.56	529.8	1.24	0.11	0.04	0.2
SDDSC202	529.8	530.83	1.03	0.29	0.01	0.3
SDDSC202	530.83	530.95	0.12	8.72	0.01	8.7
SDDSC202	534.9	535.8	0.9	0.3	0.06	0.4
SDDSC202	535.96	536.39	0.43	0.11	0.03	0.2
SDDSC202	537.12	537.3	0.18	0.1	0.01	0.1
SDDSC202	538.75	538.96	0.21	34.9	9.91	58.6
SDDSC202	538.96	539.7	0.74	0.79	0.04	0.9
SDDSC202	557.21	557.95	0.74	-0.01	0.05	0.1
SDDSC202	557.95	558.1	0.15	1.56	0.07	1.7
SDDSC202	559.98	560.98	1	0.13	0.01	0.1
SDDSC202	560.98	561.46	0.48	0.15	0.00	0.2
SDDSC202	562.6	562.75	0.15	1.84	0.01	1.9
SDDSC202	563.45	563.7	0.25	0.16	0.00	0.2
SDDSC202	568.29	569.59	1.3	0.13	0.01	0.1
SDDSC202	574.97	575.91	0.94	0.16	0.00	0.2
SDDSC202	582.1	583.11	1.01	0.48	0.01	0.5
SDDSC202	583.11	583.79	0.68	1.17	0.01	1.2
SDDSC202	583.79	584.5	0.71	1.07	0.01	1.1
SDDSC202	584.5	584.65	0.15	0.79	0.01	0.8
SDDSC202	584.65	585.45	0.8	0.24	0.00	0.2
SDDSC202	586.05	587.05	1	0.24	0.00	0.2
SDDSC202	587.05	588.3	1.25	0.52	0.00	0.5
SDDSC202	589	589.45	0.45	0.48	0.00	0.5
SDDSC202	590.96	591.25	0.29	0.15	0.00	0.2
SDDSC202	591.25	592.17	0.92	0.14	0.00	0.1
SDDSC202	592.17	592.59	0.42	0.88	0.00	0.9
SDDSC202	592.59	593.63	1.04	0.1	0.00	0.1
SDDSC202	597.2	598.2	1	0.27	0.00	0.3
SDDSC202	598.2	599	0.8	0.31	0.00	0.3
SDDSC202	599	599.7	0.7	0.15	0.00	0.2
SDDSC202	613.8	614.49	0.69	0.24	0.00	0.2
SDDSC202	671.58	672.39	0.81	0.12	0.00	0.1
SDDSC202	685.55	685.65	0.1	0.15	0.35	1.0
SDDSC202	686.34	686.71	0.37	0.27	0.00	0.3
SDDSC202	688.74	689.53	0.79	0.09	0.02	0.1

Hole number	From (m)	To (m)	Interval (m)	Au g/t	Sb %	AuEq g/t
SDDSC202	689.53	690.1	0.57	0.14	0.02	0.2
SDDSC202	690.1	690.6	0.5	0.1	0.01	0.1
SDDSC202	690.6	690.75	0.15	36.3	1.48	39.8
SDDSC202	690.75	691.01	0.26	2.21	0.18	2.6
SDDSC202	691.01	691.43	0.42	0.77	0.06	0.9
SDDSC202	691.43	691.68	0.25	1.03	0.24	1.6
SDDSC202	691.68	692.08	0.4	11.7	0.76	13.5
SDDSC202	692.08	693.31	1.23	0.17	0.01	0.2
SDDSC202	693.31	693.8	0.49	0.4	0.02	0.5
SDDSC202	694.57	695.35	0.78	0.16	0.04	0.3
SDDSC202	695.35	696.35	1	0.03	0.03	0.1
SDDSC202	697.07	697.76	0.69	0.13	0.01	0.2
SDDSC202	698.72	699	0.28	0.1	0.01	0.1
SDDSC202	699	700	1	0.17	0.01	0.2
SDDSC202	700	700.52	0.52	0.78	0.10	1.0
SDDSC202	700.52	701	0.48	0.16	0.03	0.2
SDDSC202	701	701.17	0.17	0.69	0.03	0.8
SDDSC202	701.17	701.42	0.25	0.78	0.03	0.8
SDDSC202	701.42	701.96	0.54	0.6	0.73	2.3
SDDSC202	701.96	702.09	0.13	0.37	0.83	2.4
SDDSC202	702.09	702.95	0.86	0.18	0.13	0.5
SDDSC202	702.95	703.42	0.47	3.21	1.02	5.6
SDDSC202	703.42	703.79	0.37	2.45	0.81	4.4
SDDSC202	703.79	704.41	0.62	0.17	0.05	0.3
SDDSC202	704.41	704.59	0.18	5.81	16.70	45.7
SDDSC202	704.59	704.87	0.28	91.5	29.10	161.0
SDDSC202	704.87	705.05	0.18	106	25.70	167.4
SDDSC202	705.05	705.5	0.45	1.54	1.15	4.3
SDDSC202	705.5	705.63	0.13	2.13	2.89	9.0
SDDSC202	705.63	706.93	1.3	0.89	0.63	2.4
SDDSC202	706.93	707.71	0.78	0.94	0.15	1.3
SDDSC202	707.71	708.1	0.39	0.36	0.10	0.6
SDDSC202	708.1	708.24	0.14	5.78	1.37	9.1
SDDSC202	708.24	709.1	0.86	0.6	0.47	1.7
SDDSC202	709.1	709.68	0.58	0.62	0.24	1.2
SDDSC202	709.68	709.78	0.1	3.4	1.18	6.2
SDDSC202	709.78	710.29	0.51	0.32	0.24	0.9
SDDSC202	710.29	711.03	0.74	3.01	0.98	5.4
SDDSC202	711.03	712.1	1.07	0.29	0.17	0.7
SDDSC202	712.1	712.3	0.2	15.8	1.17	18.6
SDDSC202	712.3	712.67	0.37	14.4	0.80	16.3
SDDSC202	712.67	712.85	0.18	132	2.26	137.4
SDDSC202	712.85	713.2	0.35	2.81	0.54	4.1
SDDSC202	713.2	713.6	0.4	11.3	0.53	12.6
SDDSC202	713.6	714.6	1	0.66	1.15	3.4
SDDSC202	714.6	715.67	1.07	0.97	0.39	1.9
SDDSC202	715.67	716.56	0.89	1.11	0.57	2.5
SDDSC202	716.56	717.13	0.57	0.35	0.14	0.7
SDDSC202	717.13	717.63	0.5	9.95	1.54	13.6
SDDSC202	717.63	718.93	1.3	1.31	0.13	1.6
SDDSC202	718.93	719.8	0.87	0.61	1.61	4.5
SDDSC202	719.8	720.05	0.25	0.75	2.89	7.7
SDDSC202	720.05	721.35	1.3	0.26	0.33	1.0
SDDSC202	721.35	722.31	0.96	0.56	0.22	1.1
SDDSC202	722.31	722.41	0.1	2.28	7.38	19.9
SDDSC202	722.41	723.39	0.98	0.6	0.95	2.9
SDDSC202	723.39	723.57	0.18	0.94	1.02	3.4

Hole number	From (m)	To (m)	Interval (m)	Au g/t	Sb %	AuEq g/t
SDDSC202	723.57	724.2	0.63	9.55	1.14	12.3
SDDSC202	724.2	725.32	1.12	12.6	1.46	16.1
SDDSC202	725.32	725.95	0.63	3.63	0.76	5.4
SDDSC202	725.95	726.69	0.74	0.2	0.06	0.3
SDDSC202	726.69	727.92	1.23	2.94	0.39	3.9
SDDSC202	727.92	728.4	0.48	8.62	0.79	10.5
SDDSC202	728.4	728.75	0.35	0.52	1.06	3.1
SDDSC202	728.75	729.74	0.99	0.66	0.71	2.4
SDDSC202	729.74	729.87	0.13	10.7	0.20	11.2
SDDSC202	729.87	730.67	0.8	0.35	0.69	2.0
SDDSC202	730.67	731.94	1.27	0.96	0.36	1.8
SDDSC202	731.94	733.05	1.11	0.41	0.39	1.3
SDDSC202	733.05	733.27	0.22	1.15	1.71	5.2
SDDSC202	733.27	734.41	1.14	0.43	0.08	0.6
SDDSC202	734.41	735.31	0.9	0.49	0.11	0.8
SDDSC202	735.31	735.71	0.4	1.06	0.21	1.6
SDDSC202	735.71	736.11	0.4	6.56	0.04	6.6
SDDSC202	736.11	736.29	0.18	5.81	0.10	6.0
SDDSC202	736.29	736.59	0.3	2.91	0.12	3.2
SDDSC202	750.15	750.52	0.37	0.15	0.02	0.2
SDDSC202	750.52	750.89	0.37	7.98	0.18	8.4
SDDSC202	750.89	751.89	1	0.42	0.05	0.5
SDDSC202	751.89	752.03	0.14	33.4	1.69	37.4
SDDSC202	752.03	752.83	0.8	4.15	0.28	4.8
SDDSC202	752.83	753.37	0.54	0.09	0.02	0.1
SDDSC202	753.37	754.19	0.82	0.11	0.04	0.2
SDDSC202	754.19	755.36	1.17	0.12	0.02	0.2
SDDSC202	755.36	756.05	0.69	0.29	0.10	0.5
SDDSC202	756.05	757.1	1.05	0.39	0.20	0.9
SDDSC202	758.36	758.89	0.53	0.17	0.03	0.3
SDDSC202	758.89	759.29	0.4	0.15	0.02	0.2
SDDSC202	759.29	759.44	0.15	16.3	6.12	30.9
SDDSC202	759.44	759.65	0.21	0.68	0.44	1.7
SDDSC202	759.65	760.04	0.39	0.14	0.03	0.2
SDDSC202	760.04	760.49	0.45	0.13	0.02	0.2
SDDSC202	760.49	760.84	0.35	0.86	0.80	2.8
SDDSC202	760.84	761.05	0.21	0.07	0.03	0.1
SDDSC202	761.05	761.35	0.3	0.12	0.01	0.1
SDDSC202	763	763.29	0.29	0.18	0.23	0.7
SDDSC202	763.29	763.75	0.46	1.33	1.70	5.4
SDDSC202	763.75	764.31	0.56	0.66	0.49	1.8
SDDSC202	764.31	765.14	0.83	0.09	0.10	0.3
SDDSC202	765.14	765.75	0.61	0.91	1.15	3.7
SDDSC202	765.75	765.93	0.18	0.06	0.07	0.2
SDDSC202	765.93	766.03	0.1	7.38	1.51	11.0
SDDSC202	767.98	768.6	0.62	0.42	0.03	0.5
SDDSC202	770.9	771.12	0.22	0.51	0.52	1.8
SDDSC202	777	778.1	1.1	0.19	0.05	0.3
SDDSC202	778.1	778.2	0.1	493	3.89	502.3
SDDSC202	778.2	778.87	0.67	0.41	0.02	0.5
SDDSC202	784.28	784.42	0.14	1.42	0.24	2.0
SDDSC202	784.95	785.06	0.11	1.94	2.38	7.6
SDDSC202	785.64	785.77	0.13	102	15.00	137.9
SDDSC202	786.83	787.93	1.1	0.27	0.01	0.3
SDDSC202	787.93	789	1.07	0.07	0.02	0.1
SDDSC202	789	789.11	0.11	4.63	6.11	19.2
SDDSC202	789.11	789.95	0.84	0.57	0.49	1.7

Hole number	From (m)	To (m)	Interval (m)	Au g/t	Sb %	AuEq g/t
SDDSC202	789.95	790.14	0.19	1.45	5.94	15.6
SDDSC202	790.14	790.38	0.24	0.2	0.14	0.5
SDDSC202	790.38	790.48	0.1	19.3	2.32	24.8
SDDSC202	790.48	790.89	0.41	0.23	0.29	0.9
SDDSC202	790.89	791.06	0.17	41.2	19.80	88.5
SDDSC202	799.76	800.46	0.7	0.58	0.20	1.1
SDDSC202	800.46	800.91	0.45	0.44	0.06	0.6
SDDSC202	808.56	808.67	0.11	6.86	0.34	7.7
SDDSC202	809.8	811.01	1.21	0.6	0.02	0.7
SDDSC202	811.01	811.25	0.24	0.2	0.04	0.3
SDDSC202	811.25	811.44	0.19	0.64	0.03	0.7
SDDSC202	836.92	838.22	1.3	0.23	0.01	0.3
SDDSC202	843.71	844.23	0.52	0.63	0.02	0.7
SDDSC202	868.66	868.84	0.18	0.29	0.00	0.3
SDDSC202	871.83	871.96	0.13	0.89	0.08	1.1
SDDSC202	891.73	892	0.27	0.55	0.01	0.6
SDDSC202	893.64	894.27	0.63	0.47	0.22	1.0
SDDSC202	894.27	894.64	0.37	1.14	0.05	1.3
SDDSC202	894.64	894.86	0.22	81.5	31.40	156.5
SDDSC202	894.86	895.41	0.55	1.17	1.15	3.9
SDDSC202	895.41	895.56	0.15	1.41	6.04	15.8
SDDSC202	895.56	896.5	0.94	0.22	0.06	0.4
SDDSC202	906.79	907.16	0.37	0.17	0.01	0.2
SDDSC202	913.89	914.39	0.5	0.3	0.00	0.3
SDDSC202	915.43	915.65	0.22	0.14	0.00	0.1
SDDSC202	917.63	918	0.37	0.27	0.00	0.3
SDDSC202	918	919.03	1.03	0.18	0.00	0.2
SDDSC202	919.03	919.83	0.8	0.22	0.00	0.2
SDDSC202	920.96	921.52	0.56	0.46	0.00	0.5
SDDSC202	922.82	923.79	0.97	0.18	0.00	0.2
SDDSC202	923.79	924.86	1.07	0.32	0.00	0.3
SDDSC202	924.86	925.72	0.86	0.45	0.01	0.5
SDDSC202	925.72	926.28	0.56	0.91	0.00	0.9
SDDSC202	929.67	930.48	0.81	0.25	0.00	0.3
SDDSC202	930.48	930.85	0.37	0.27	0.00	0.3
SDDSC204	643.93	644.45	0.52	0.55	0.01	0.6
SDDSC204	644.45	644.88	0.43	1.75	0.00	1.8
SDDSC204	644.88	645.12	0.24	1.23	0.00	1.2
SDDSC204	645.12	646.42	1.3	0.18	0.00	0.2
SDDSC204	732	732.83	0.83	0.14	0.01	0.2
SDDSC204	805.6	805.97	0.37	0.86	0.00	0.9
SDDSC204	811.68	812.1	0.42	0.14	0.00	0.1
SDDSC204	820.46	820.97	0.51	0.1	0.00	0.1
SDDSC204	828.26	828.65	0.39	0.15	0.00	0.2
SDDSC204	875.5	875.75	0.25	0.15	0.00	0.2
SDDSC204	889.75	891	1.25	0.11	0.00	0.1
SDDSC204	896.85	898.02	1.17	0.465	0.01	0.5
SDDSC204	898.02	898.13	0.11	1.26	0.07	1.4
SDDSC204	898.84	899.42	0.58	0.18	0.00	0.2
SDDSC204	899.42	900.08	0.66	0.25	0.00	0.3
SDDSC204	900.08	900.31	0.23	0.77	0.01	0.8
SDDSC204	900.31	900.65	0.34	1.85	0.03	1.9
SDDSC204	900.65	901	0.35	0.67	0.01	0.7
SDDSC204	908.12	909	0.88	0.15	0.00	0.2
SDDSC204	1037.2	1038.5	1.3	0.22	0.00	0.2
SDDSC204	1050.2	1051.5	1.3	0.1	0.00	0.1
SDDSC204	1061.9	1063	1.1	0.36	0.00	0.4

Hole number	From (m)	To (m)	Interval (m)	Au g/t	Sb %	AuEq g/t
SDDSC204	1069.2	1070.2	1	0.12	0.00	0.1
SDDSC204	1084.58	1084.9	0.32	0.07	0.03	0.1
SDDSC204	1085.9	1086.41	0.51	1.25	0.01	1.3
SDDSC204	1086.41	1087.7	1.29	0.62	0.00	0.6
SDDSC204	1090.08	1090.36	0.28	2.96	0.00	3.0
SDDSC204	1095.5	1096.8	1.3	4.44	0.01	4.5
SDDSC204	1096.8	1098.1	1.3	0.17	0.01	0.2
SDDSC204	1102	1103	1	1.25	0.01	1.3
SDDSC204	1103	1104.2	1.2	0.8	0.01	0.8
SDDSC204	1104.2	1105	0.8	2.58	0.01	2.6
SDDSC204	1105	1105.66	0.66	1.44	0.01	1.5
SDDSC204	1105.66	1106.46	0.8	2.11	0.02	2.1
SDDSC204	1110.97	1111.08	0.11	0.82	0.00	0.8
SDDSC204	1126.63	1126.86	0.23	0.12	0.00	0.1
SDDSC204	1146.44	1146.55	0.11	0.21	0.00	0.2
SDDSC204	1148.54	1149.45	0.91	0.14	0.00	0.1
SDDSC204	1150.14	1150.36	0.22	0.17	0.01	0.2
SDDSC204	1152.67	1153.8	1.13	0.11	0.00	0.1
SDDSC204	1154.84	1155.93	1.09	0.3	0.00	0.3
SDDSC204	1167.78	1168.07	0.29	0.38	0.00	0.4
SDDSC204	1169.37	1170.3	0.93	0.15	0.00	0.2
SDDSC204	1171.52	1172.5	0.98	0.1	0.00	0.1
SDDSC204	1172.5	1173.8	1.3	1.52	0.00	1.5
SDDSC204	1173.8	1174.8	1	0.83	0.00	0.8
SDDSC204	1174.8	1175.8	1	0.33	0.00	0.3
SDDSC204	1175.8	1177	1.2	0.15	0.00	0.2
SDDSC204	1177	1177.43	0.43	0.1	0.00	0.1
SDDSC204	1177.43	1178.73	1.3	0.21	0.00	0.2
SDDSC204	1178.73	1179	0.27	0.16	0.00	0.2
SDDSC204	1179	1179.44	0.44	0.25	0.00	0.3
SDDSC204	1179.44	1180.5	1.06	0.13	0.00	0.1
SDDSC212	324.15	324.4	0.25	0.11	0.00	0.1
SDDSC212	339.02	339.59	0.57	0.12	0.00	0.1
SDDSC212	341.04	341.64	0.6	0.08	0.01	0.1
SDDSC212	342.66	343.03	0.37	0.22	0.00	0.2
SDDSC212	344.33	345.63	1.3	0.1	0.00	0.1
SDDSC212	355.53	356.72	1.19	0.12	0.00	0.1
SDDSC212	356.72	357.22	0.5	2.98	0.00	3.0
SDDSC212	359.05	359.24	0.19	3.5	0.03	3.6
SDDSC212	359.24	359.59	0.35	0.06	0.03	0.1
SDDSC212	364.72	366.02	1.3	0.19	0.00	0.2
SDDSC212	366.02	367.32	1.3	0.21	0.00	0.2
SDDSC212	367.32	368.62	1.3	0.28	0.00	0.3
SDDSC212	410.3	411.3	1	0.19	0.00	0.2
SDDSC212	411.7	412.13	0.43	0.26	0.00	0.3
SDDSC212	412.13	412.4	0.27	0.18	0.00	0.2
SDDSC212	412.6	412.8	0.2	0.47	0.01	0.5
SDDSC212	413.5	414	0.5	0.09	0.00	0.1
SDDSC212	415	416	1	0.09	0.01	0.1
SDDSC212	416	416.53	0.53	0.08	0.02	0.1
SDDSC212	416.53	417	0.47	0.06	0.02	0.1
SDDSC212	420.8	422	1.2	0.1	0.00	0.1
SDDSC212	424.92	425.13	0.21	0.51	0.00	0.5
SDDSC212	425.13	426	0.87	0.07	0.01	0.1
SDDSC212	426	427	1	0.13	0.01	0.2
SDDSC212	430	431	1	0.07	0.02	0.1
SDDSC212	431	432	1	0.64	0.03	0.7

Hole number	From (m)	To (m)	Interval (m)	Au g/t	Sb %	AuEq g/t
SDDSC212	432	433	1	1.18	0.04	1.3
SDDSC212	433	434	1	0.92	0.14	1.3
SDDSC212	434	435	1	2.82	0.40	3.8
SDDSC212	435	436	1	0.28	0.03	0.4
SDDSC212	436	437	1	0.11	0.01	0.1
SDDSC212	437	437.52	0.52	0.41	0.02	0.5
SDDSC212	437.52	438	0.48	1.93	0.02	2.0
SDDSC212	438	438.7	0.7	1.52	0.05	1.6
SDDSC214W1	575.2	575.63	0.43	0.11	0.01	0.1
SDDSC214W1	588	588.85	0.85	0.15	0.05	0.3
SDDSC214W1	588.85	589.18	0.33	1.98	0.00	2.0
SDDSC214W1	589.18	590	0.82	0.19	0.00	0.2
SDDSC214W1	591	592	1	0.1	0.00	0.1
SDDSC214W1	592	592.73	0.73	0.14	0.00	0.2
SDDSC214W1	595.96	596.33	0.37	0.15	0.02	0.2
SDDSC214W1	596.33	596.55	0.22	71.2	6.70	87.2
SDDSC214W1	596.55	596.81	0.26	0.75	0.29	1.4
SDDSC214W1	596.81	597.24	0.43	0.41	0.38	1.3
SDDSC214W1	597.24	597.5	0.26	0.69	0.84	2.7
SDDSC214W1	597.5	598	0.5	0.25	0.06	0.4
SDDSC214W1	598	598.5	0.5	0.31	0.21	0.8
SDDSC214W1	599.18	599.6	0.42	0.15	0.02	0.2
SDDSC214W1	601.27	601.68	0.41	0.12	0.00	0.1
SDDSC214W1	601.68	602.3	0.62	0.42	0.00	0.4
SDDSC214W1	602.3	603.16	0.86	0.21	0.00	0.2
SDDSC214W1	605.18	605.65	0.47	232	8.11	251.4
SDDSC214W1	605.65	605.95	0.3	0.09	0.02	0.1
SDDSC214W1	609.85	610.45	0.6	0.11	0.01	0.1
SDDSC214W1	615.66	616.45	0.79	0.2	0.00	0.2
SDDSC214W1	616.45	617.42	0.97	0.13	0.10	0.4
SDDSC214W1	617.42	617.69	0.27	0.2	0.25	0.8
SDDSC214W1	617.69	618.93	1.24	0.08	0.02	0.1
SDDSC214W1	618.93	619.79	0.86	0.08	0.01	0.1
SDDSC214W1	626.28	626.66	0.38	0.07	0.16	0.5
SDDSC214W1	626.66	627.59	0.93	0.26	0.57	1.6
SDDSC214W1	627.59	627.98	0.39	0.08	0.01	0.1
SDDSC214W1	628.22	628.91	0.69	0.14	0.04	0.2
SDDSC214W1	629.49	630.02	0.53	0.98	0.01	1.0
SDDSC214W1	630.25	631	0.75	0.44	0.07	0.6
SDDSC214W1	631	631.23	0.23	0.57	0.10	0.8
SDDSC214W1	631.23	632.23	1	0.09	0.01	0.1
SDDSC214W1	632.23	632.93	0.7	0.14	0.01	0.2
SDDSC214W1	632.93	633.96	1.03	0.19	0.01	0.2
SDDSC214W1	633.96	634.55	0.59	0.1	0.01	0.1
SDDSC214W1	634.55	635.17	0.62	38.6	0.36	39.5
SDDSC214W1	635.17	635.53	0.36	0.88	0.07	1.1
SDDSC214W1	635.53	635.88	0.35	24.6	0.91	26.8
SDDSC214W1	635.88	636.12	0.24	12.7	1.22	15.6
SDDSC214W1	636.12	637.1	0.98	0.66	0.03	0.7
SDDSC214W1	637.39	637.8	0.41	1.58	0.67	3.2
SDDSC214W1	638.6	639.13	0.53	0.81	0.09	1.0
SDDSC214W1	639.13	639.79	0.66	0.7	0.14	1.0
SDDSC214W1	639.79	640.41	0.62	0.7	0.10	0.9
SDDSC214W1	641.7	642.13	0.43	2.73	0.51	3.9
SDDSC214W1	642.13	642.52	0.39	0.57	0.00	0.6
SDDSC214W1	642.52	643.14	0.62	0.86	0.07	1.0
SDDSC214W1	643.66	644.56	0.9	0.72	0.28	1.4

Hole number	From (m)	To (m)	Interval (m)	Au g/t	Sb %	AuEq g/t
SDDSC214W1644.56	644.56	644.78	0.22	1.16	0.16	1.5
SDDSC214W1644.78	644.78	645.11	0.33	0.54	0.14	0.9
SDDSC214W1645.11	645.11	646.08	0.97	0.15	0.06	0.3
SDDSC214W1646.08	646.08	646.62	0.54	0.7	0.63	2.2
SDDSC214W1646.62	646.62	647.24	0.62	0.68	0.05	0.8
SDDSC214W1647.24	647.24	648.21	0.97	0.55	0.17	1.0
SDDSC214W1648.21	648.21	648.95	0.74	0.21	0.01	0.2
SDDSC214W1654.42	654.42	655.36	0.94	0.13	0.01	0.1
SDDSC214W1655.36	655.36	655.98	0.62	0.21	0.03	0.3
SDDSC214W1657.06	657.06	657.52	0.46	1.04	0.25	1.6
SDDSC214W1658.21	658.21	658.68	0.47	1.07	0.63	2.6
SDDSC214W1659.05	659.05	659.44	0.39	0.08	0.09	0.3
SDDSC214W1659.44	659.44	660.39	0.95	0.03	0.04	0.1
SDDSC214W1660.39	660.39	660.6	0.21	0.56	0.22	1.1
SDDSC214W1660.6	660.6	661.9	1.3	0.36	0.24	0.9
SDDSC214W1663.2	663.2	663.62	0.42	0.14	0.01	0.2
SDDSC214W1663.62	663.62	664.07	0.45	0.21	0.27	0.9
SDDSC214W1664.07	664.07	664.72	0.65	0.09	0.17	0.5
SDDSC214W1664.72	664.72	665.09	0.37	0.07	0.01	0.1
SDDSC214W1665.09	665.09	665.87	0.78	0.78	0.37	1.7
SDDSC214W1665.87	665.87	666.51	0.64	0.15	0.07	0.3
SDDSC214W1666.51	666.51	666.78	0.27	0.11	0.04	0.2
SDDSC214W1666.78	666.78	667.48	0.7	0.19	0.02	0.2
SDDSC214W1667.48	667.48	667.67	0.19	1.35	0.17	1.8
SDDSC214W1667.67	667.67	668.51	0.84	0.55	0.01	0.6
SDDSC214W1678	678	679.05	1.05	0.22	0.01	0.2
SDDSC214W1679.05	679.05	679.71	0.66	0.11	0.00	0.1
SDDSC214W1694.67	694.67	695.47	0.8	0.08	0.01	0.1
SDDSC214W1695.47	695.47	695.85	0.38	0.13	0.02	0.2
SDDSC214W1699.11	699.11	699.76	0.65	0.53	0.01	0.5
SDDSC214W1699.76	699.76	700.54	0.78	0.1	0.26	0.7
SDDSC214W1700.54	700.54	701.07	0.53	0.13	0.01	0.2
SDDSC214W1701.07	701.07	701.58	0.51	0.34	0.25	0.9
SDDSC214W1704.51	704.51	705.13	0.62	0.15	0.15	0.5
SDDSC214W1705.13	705.13	706.24	1.11	0.04	0.05	0.2
SDDSC214W1706.24	706.24	706.7	0.46	0.07	0.18	0.5
SDDSC214W1706.7	706.7	707.03	0.33	0.13	0.05	0.2
SDDSC214W1707.03	707.03	707.43	0.4	0.05	0.03	0.1
SDDSC214W1710.43	710.43	710.74	0.31	0.28	0.01	0.3
SDDSC214W1710.74	710.74	711.21	0.47	0.1	0.00	0.1
SDDSC214W1711.21	711.21	711.68	0.47	0.28	0.01	0.3
SDDSC214W1711.68	711.68	711.98	0.3	0.65	0.04	0.7
SDDSC214W1711.98	711.98	713	1.02	0.1	0.01	0.1
SDDSC214W1713	713	713.14	0.14	1.25	0.10	1.5
SDDSC214W1713.14	713.14	713.33	0.19	3.37	0.08	3.6
SDDSC214W1713.33	713.33	714.2	0.87	0.09	0.01	0.1
SDDSC214W1715.08	715.08	715.35	0.27	1.94	1.36	5.2
SDDSC214W1716.06	716.06	716.34	0.28	0.21	0.02	0.2
SDDSC214W1717	717	717.69	0.69	0.03	0.09	0.2
SDDSC214W1718.21	718.21	718.73	0.52	0.51	0.00	0.5
SDDSC214W1718.73	718.73	719.7	0.97	0.12	0.00	0.1
SDDSC214W1720.82	720.82	721.55	0.73	0.2	0.01	0.2
SDDSC214W1722.16	722.16	722.47	0.31	3.73	0.05	3.8
SDDSC214W1728.04	728.04	728.32	0.28	0.3	0.05	0.4
SDDSC214W1728.32	728.32	729.43	1.11	0.2	0.01	0.2
SDDSC214W1729.43	729.43	729.77	0.34	0.72	0.03	0.8
SDDSC214W1729.77	729.77	730.61	0.84	0.14	0.06	0.3

Hole number	From (m)	To (m)	Interval (m)	Au g/t	Sb %	AuEq g/t
SDDSC214W1736.34	736.34	737.6	1.26	0.93	0.00	0.9
SDDSC214W1744.66	744.66	744.9	0.24	0.13	0.07	0.3
SDDSC214W1747.57	747.57	748.21	0.64	0.29	0.32	1.1
SDDSC214W1748.21	748.21	748.57	0.36	0.06	0.15	0.4
SDDSC214W1753.05	753.05	753.6	0.55	0.7	0.04	0.8
SDDSC214W1753.6	753.6	753.92	0.32	0.13	0.06	0.3
SDDSC214W1754.85	754.85	755.2	0.35	0.08	0.01	0.1
SDDSC214W1759.59	759.59	760.28	0.69	0.09	0.01	0.1
SDDSC214W1760.28	760.28	760.55	0.27	10	0.00	10.0
SDDSC214W1760.55	760.55	761.06	0.51	0.12	0.01	0.1
SDDSC214W1761.06	761.06	761.6	0.54	0.24	0.01	0.3
SDDSC214W1761.6	761.6	761.8	0.2	0.78	0.03	0.9
SDDSC214W1761.8	761.8	761.93	0.13	0.43	0.09	0.6
SDDSC214W1761.93	761.93	762.67	0.74	0.95	0.21	1.5
SDDSC214W1762.67	762.67	762.89	0.22	0.64	0.01	0.7
SDDSC214W1762.89	762.89	763.93	1.04	0.22	0.01	0.2
SDDSC214W1770.92	770.92	771.11	0.19	0.12	0.05	0.2
SDDSC214W1772.99	772.99	773.24	0.25	0.19	1.87	4.7
SDDSC214W1785.49	785.49	785.61	0.12	0.68	0.01	0.7
SDDSC214W1820.45	820.45	820.66	0.21	0.17	0.07	0.3
SDDSC214W1829.2	829.2	830.26	1.06	0.27	0.00	0.3
SDDSC214W1830.26	830.26	830.85	0.59	0.79	0.39	1.7
SDDSC214W1830.85	830.85	830.97	0.12	0.35	0.00	0.4
SDDSC214W1830.97	830.97	831.86	0.89	1.26	0.00	1.3
SDDSC214W1831.86	831.86	832.9	1.04	0.17	0.00	0.2
SDDSC214W1834.66	834.66	835.2	0.54	0.39	0.00	0.4
SDDSC214W1835.2	835.2	835.95	0.75	0.16	0.00	0.2
SDDSC214W1889.14	889.14	890.2	1.06	-0.01	0.05	0.1
SDDSC214W1890.2	890.2	890.45	0.25	0.2	0.00	0.2
SDDSC214W1895.5	895.5	896.8	1.3	0.13	0.01	0.1
SDDSC214W1896.8	896.8	897.02	0.22	0.98	0.02	1.0
SDDSC214W1898.09	898.09	898.44	0.35	0.14	0.01	0.2
SDDSC214W1898.44	898.44	898.96	0.52	0.12	0.01	0.1
SDDSC214W1905.2	905.2	905.97	0.77	0.09	0.00	0.1
SDDSC214W1913.2	913.2	914.2	1	0.31	0.00	0.3
SDDSC214W1914.2	914.2	915.2	1	0.14	0.02	0.2
SDDSC214W1915.2	915.2	916.34	1.14	0.79	0.02	0.8
SDDSC214W1916.34	916.34	917.45	1.11	0.73	0.01	0.7
SDDSC214W1920.85	920.85	921.2	0.35	0.25	0.01	0.3
SDDSC214W1921.2	921.2	922.3	1.1	0.15	0.01	0.2
SDDSC214W1923.5	923.5	924.25	0.75	0.25	0.01	0.3
SDDSC214W1924.25	924.25	925.32	1.07	0.29	0.01	0.3
SDDSC214W1943.28	943.28	944.03	0.75	0.17	0.00	0.2
SDDSC214W1982.1	982.1	982.93	0.83	0.13	0.00	0.1
SDDSC214W1984	984	985	1	0.18	0.00	0.2
SDDSC214W1991.92	991.92	992.34	0.42	1.08	0.00	1.1
SDDSC214W1992.34	992.34	992.56	0.22	20.4	0.01	20.4
SDDSC214W1992.56	992.56	992.72	0.16	0.28	0.00	0.3
SDDSC214W1992.72	992.72	992.86	0.14	207	0.08	207.2
SDDSC214W1992.86	992.86	993	0.14	0.15	0.00	0.2
SDDSC214W1993	993	993.43	0.43	1.18	0.00	1.2
SDDSC214W1993.43	993.43	993.97	0.54	0.97	0.00	1.0
SDDSC214W1993.97	993.97	994.15	0.18	362	0.13	362.3
SDDSC214W1994.15	994.15	995.2	1.05	0.23	0.00	0.2
SDDSC214W1996.95	996.95	997.49	0.54	0.28	0.01	0.3
SDDSC214W1998.75	998.75	998.89	0.14	2.99	0.02	3.0
SDDSC214W1998.89	998.89	999.75	0.86	0.25	0.01	0.3

Hole number	From (m)	To (m)	Interval (m)	Au g/t	Sb %	AuEq g/t
SDDSC214W1	999.75	1000.7	0.95	0.9	0.01	0.9
SDDSC214W1	1000.7	1001.56	0.86	0.24	0.01	0.3
SDDSC214W1	1001.56	1002.6	1.04	0.55	0.01	0.6
SDDSC214W1	1002.6	1002.82	0.22	0.33	0.01	0.3
SDDSC214W1	1002.82	1003.98	1.16	0.18	0.01	0.2
SDDSC214W1	1003.98	1004.83	0.85	0.53	0.01	0.5
SDDSC214W1	1004.83	1005.73	0.9	0.28	0.00	0.3
SDDSC214W1	1005.73	1006.64	0.91	0.19	0.00	0.2
SDDSC214W1	1009.32	1009.83	0.51	0.32	0.01	0.3
SDDSC214W1	1009.83	1010.6	0.77	0.22	0.01	0.2
SDDSC214W1	1012.75	1014.05	1.3	0.19	0.00	0.2
SDDSC214W1	1015.28	1015.7	0.42	0.24	0.00	0.3
SDDSC214W1	1015.7	1016.85	1.15	0.14	0.01	0.2
SDDSC214W1	1016.85	1017.75	0.9	0.28	0.00	0.3
SDDSC214W1	1017.75	1018.67	0.92	0.29	0.00	0.3
SDDSC214W1	1018.67	1019.54	0.87	0.22	0.00	0.2
SDDSC214W1	1019.54	1020.27	0.73	0.17	0.00	0.2
SDDSC214W1	1020.27	1021	0.73	0.23	0.01	0.2
SDDSC214W1	1021	1022.05	1.05	0.63	0.01	0.6
SDDSC214W1	1022.05	1022.67	0.62	0.71	0.01	0.7
SDDSC214W1	1022.67	1023.3	0.63	0.14	0.01	0.2
SDDSC214W1	1023.3	1023.76	0.46	0.17	0.01	0.2
SDDSC214W1	1023.76	1024.05	0.29	0.16	0.13	0.5
SDDSC214W1	1024.05	1024.52	0.47	0.29	0.02	0.3
SDDSC214W1	1024.52	1025.53	1.01	0.32	0.02	0.4
SDDSC214W1	1025.53	1026.1	0.57	0.23	0.01	0.3
SDDSC214W1	1026.1	1026.54	0.44	0.34	0.02	0.4
SDDSC214W1	1026.54	1027.22	0.68	0.48	0.01	0.5
SDDSC214W1	1027.92	1028.8	0.88	0.29	0.01	0.3
SDDSC214W1	1028.8	1029.5	0.7	0.37	0.01	0.4
SDDSC214W1	1029.5	1030.15	0.65	0.91	0.03	1.0
SDDSC214W1	1030.15	1030.25	0.1	1.24	0.02	1.3
SDDSC214W1	1030.25	1030.48	0.23	1.28	0.29	2.0
SDDSC214W1	1030.48	1030.97	0.49	0.75	0.02	0.8
SDDSC214W1	1030.97	1032.02	1.05	0.11	0.01	0.1
SDDSC214W1	1032.88	1033.96	1.08	0.41	0.01	0.4
SDDSC214W1	1033.96	1035	1.04	0.1	0.02	0.2
SDDSC214W1	1035	1035.96	0.96	0.26	0.02	0.3
SDDSC214W1	1036.48	1036.58	0.1	25	0.00	25.0
SDDSC214W1	1036.58	1037.7	1.12	0.14	0.01	0.2
SDDSC214W1	1039	1039.94	0.94	0.22	0.00	0.2
SDDSC217	193.3	194.3	1	0.23	0.00	0.2
SDDSC217	194.3	195.3	1	0.09	0.00	0.1
SDDSC217	196.15	196.64	0.49	0.4	0.00	0.4
SDDSC217	227.7	228.78	1.08	0.98	0.00	1.0
SDDSC217	255.1	255.39	0.29	0.23	0.00	0.2
SDDSC217	255.39	256.44	1.05	0.31	0.01	0.3
SDDSC217	256.44	257.7	1.26	0.11	0.02	0.1
SDDSC217	270.63	270.73	0.1	0.11	0.00	0.1
SDDSC217	272	273.3	1.3	0.14	0.00	0.1
SDDSC217	275.55	275.65	0.1	0.23	0.00	0.2
SDDSC217	277.19	277.36	0.17	0.18	0.06	0.3
SDDSC217	277.36	277.67	0.31	0.51	0.01	0.5
SDDSC217	277.67	277.77	0.1	0.18	0.01	0.2
SDDSC217	279.64	279.74	0.1	0.2	0.00	0.2
SDDSC217	280.14	280.24	0.1	1.61	1.83	6.0
SDDSC217	284.46	285.04	0.58	0.26	0.00	0.3

Hole number	From (m)	To (m)	Interval (m)	Au g/t	Sb %	AuEq g/t
SDDSC217	285.04	285.14	0.1	1.18	0.00	1.2
SDDSC217	285.14	286.38	1.24	0.24	0.00	0.2
SDDSC217	286.38	286.59	0.21	0.49	0.00	0.5
SDDSC217	290.7	291.38	0.68	0.17	0.00	0.2
SDDSC217	291.38	291.76	0.38	0.16	0.00	0.2
SDDSC217	295.42	295.81	0.39	0.49	0.01	0.5
SDDSC217	299.2	300.5	1.3	0.11	0.00	0.1
SDDSC217	301.7	301.94	0.24	0.13	0.00	0.1
SDDSC217	301.94	302.66	0.72	0.18	0.00	0.2
SDDSC217	303.76	304.5	0.74	0.53	0.01	0.5
SDDSC217	310.9	311.74	0.84	0.13	0.05	0.3
SDDSC217	311.74	312.28	0.54	0.35	0.10	0.6
SDDSC217	312.28	312.61	0.33	33.3	21.60	84.9
SDDSC217	312.61	313.21	0.6	1.26	0.01	1.3
SDDSC217	313.21	314.5	1.29	0.43	0.00	0.4
SDDSC217	318.4	318.59	0.19	0.2	0.18	0.6
SDDSC217	318.59	319.1	0.51	0.25	0.07	0.4
SDDSC217	320.4	321.7	1.3	0.21	0.00	0.2
SDDSC217	324.27	324.9	0.63	0.34	0.09	0.5
SDDSC217	324.9	325.03	0.13	55.8	31.30	130.6
SDDSC217	325.03	325.76	0.73	0.16	0.04	0.3
SDDSC217	325.76	326.47	0.71	0.06	0.02	0.1
SDDSC217	326.47	326.58	0.11	0.74	3.14	8.2
SDDSC217	328.78	329.05	0.27	0.43	0.01	0.5
SDDSC217	329.05	330.17	1.12	0.34	0.01	0.4
SDDSC217	330.17	330.39	0.22	8.54	1.09	11.1
SDDSC217	330.39	330.7	0.31	0.55	1.90	5.1
SDDSC217	330.7	331.02	0.32	0.25	0.02	0.3
SDDSC217	331.02	332.3	1.28	0.12	0.01	0.1
SDDSC217	334.76	335.17	0.41	0.52	0.00	0.5
SDDSC217	430.1	430.7	0.6	0.14	0.00	0.1

JORC Table 1

Section 1 Sampling Techniques and Data

Criteria

JORC Code explanation

Sampling techniques

- Nature and quality of sampling (e.g. cut channels, random ch standard measurement tools appropriate to the minerals und sondes, or handheld XRF instruments, etc.). These examples meaning of sampling.
- Include reference to measures taken to ensure sample repre any measurement tools or systems used.
- Aspects of the determination of mineralization that are Mater
- In cases where 'industry standard' work has been done this v circulation drilling was used to obtain 1 m samples from whic charge for fire assay'). In other cases more explanation may gold that has inherent sampling problems. Unusual commodi nodules) may warrant disclosure of detailed information.

Criteria

JORC Code explanation

Drilling techniques

- Drill type (e.g. core, reverse circulation, open-hole hammer, etc.) and details (e.g. core diameter, triple or standard tube, depth, type, whether core is oriented and if so, by what method, etc.)

Drill sample recovery

- Method of recording and assessing core and chip sample recovery
- Measures taken to maximise sample recovery and ensure representativeness
- Whether a relationship exists between sample recovery and sample loss occurred due to preferential loss/gain of fine/coarse material.

Logging

- Whether core and chip samples have been geologically and geotechnically logged to support appropriate Mineral Resource estimation, mining studies and/or mine design
- Whether logging is qualitative or quantitative in nature. Core quality (e.g. unaltered, fractured, siliceous, etc.)
- The total length and percentage of the relevant intersections

Sub-sampling techniques and sample preparation

- If core, whether cut or sawn and whether quarter, half or all core
- If non-core, whether riffled, tube sampled, rotary split, etc. and whether split
- For all sample types, the nature, quality and appropriateness of the sample preparation technique
- Quality control procedures adopted for all sub-sampling stages
- Measures taken to ensure that the sampling is representative of the in-situ material, for instance results for field duplicate/second-half sampling.
- Whether sample sizes are appropriate to the grain size of the material

Criteria

JORC Code explanation

Quality of assay data and laboratory tests

- The nature, quality and appropriateness of the assaying and the technique is considered partial or total.
- For geophysical tools, spectrometers, handheld XRF instruments determining the analysis including instrument make and model applied and their derivation, etc.
- Nature of quality control procedures adopted (e.g. standards checks) and whether acceptable levels of accuracy (i.e. lack established).

Verification of sampling and assaying

- The verification of significant intersections by either independent
- The use of twinned holes.
- Documentation of primary data, data entry procedures, data (electronic) protocols.
- Discuss any adjustment to assay data.

Location of data points

- Accuracy and quality of surveys used to locate drill holes (collar workings and other locations used in Mineral Resource estimation)
- Specification of the grid system used.
- Quality and adequacy of topographic control.

Criteria

JORC Code explanation

Data spacing and distribution

- Data spacing for reporting of Exploration Results.
- Whether the data spacing and distribution is sufficient to establish continuity appropriate for the Mineral Resource and Ore Res classifications applied.
- Whether sample compositing has been applied.

Orientation of data in relation to geological structure

- Whether the orientation of sampling achieves unbiased samples which this is known, considering the deposit type.
- If the relationship between the drilling orientation and the orientation considered to have introduced a sampling bias, this should be

Sample security

- The measures taken to ensure sample security.

Audits or reviews

- The results of any audits or reviews of sampling techniques a

Section 2 Reporting of Exploration Results

Criteria

JORC Code explanation

Mineral tenement and land tenure status

- Type, reference name/number, location and ownership including agreements with parties such as joint ventures, partnerships, overriding royalties, native title interests, wilderness or national park and environmental settings.
- The security of the tenure held at the time of reporting along with any known irregularities or licences to operate in the area.

Criteria

JORC Code explanation

Exploration done by other parties

- Acknowledgment and appraisal of exploration by other parties.

Geology

- Deposit type, geological setting and style of
- mineralization.

Drill hole Information

- A summary of all information material to the understanding of the exploration of the following
- information for all Material drill holes:
 - easting and northing of the drill hole collar
 - elevation or RL (Reduced Level - elevation above sea level in metres) of
 - dip and azimuth of the hole
 - down hole length and interception depth
 - hole length.
- If the exclusion of this information is justified on the basis that the information exclusion does not detract from the understanding of the report, the Competent Person must explain why this is the case.

Criteria	JORC Code explanation
Data aggregation methods	<ul style="list-style-type: none"> ● In reporting Exploration Results, weighting averaging techniques, maximum and minimum values, truncations (e.g. cutting of high-grades) and cut-off grades are usually Materialized. ● Where aggregate intercepts incorporate short lengths of high-grade results and long lengths of low-grade results, the procedure used for such aggregation should be stated and the results of such aggregations should be shown in detail. ● The assumptions used for any reporting of metal equivalent values should be stated.
Relationship between mineralization widths and intercept lengths	<ul style="list-style-type: none"> ● These relationships are particularly important in the reporting of Exploration Results. ● If the geometry of the mineralization with respect to the drill hole angle is known, it should be reported. ● If it is not known and only the down hole lengths are reported, there should be no indication of effect (e.g. 'down hole effect', 'true width not known').
Diagrams	<ul style="list-style-type: none"> ● Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to, plan views, collar locations and appropriate sectional views.
Balanced reporting	<ul style="list-style-type: none"> ● Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high-grades and/or widths should be practiced to avoid misleading impression of Exploration Results.
Other substantive exploration data	<ul style="list-style-type: none"> ● Other exploration data, if meaningful and material, should be reported including geotechnical data; geological observations; geophysical survey results; geochemical survey results; metallurgical test results; method of treatment; metallurgical test results; bulk density, groundwater, geochemical data; and other characteristics; potential deleterious or contaminating substances.

Criteria

JORC Code explanation

Further work

- The nature and scale of planned further work (e.g. tests for lateral extensions or large-scale step-out drilling).
- Diagrams clearly highlighting the areas of possible extensions, including the most likely interpretations and future drilling areas, provided this information is not comm

To view the source version of this press release, please visit <https://www.newsfilecorp.com/release/300850>

Dieser Artikel stammt von [Rohstoff-Welt.de](https://www.rohstoff-welt.de)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/737111--Southern-Cross-Gold-Drills-36.6-m--4.0-g-t-Au-and-1.0Prozent-Sb.html>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).