Manitou Gold Inc. Intersects 0.25% Nickel over 48 m and Update on Targeting at Goudreau Project

13.06.2022 | GlobeNewswire

SUDBURY, June 13, 2022 - Manitou Gold Inc. (TSX-V: MTU) (the "Company" or "Manitou") is pleased to provide details on several newly identified gold targets, as well as the discovery of a new nickel-bearing ultramafic complex on its Goudreau project in northern Ontario with the same host mineralization as Canada Nickel's Crawford deposit. Recently completed diamond drilling continues to emphasize the gold discovery potential along the Baltimore deformation zone (the "BDZ"), which represents the fault offset extension of the GLDZ, which hosts the Island Gold and Magino mines, as well as several other past producing gold mines.

Drill Program Highlights:

- 0.25% Ni over 48 m in strongly serpentinized ultramafic rocks encountered in hole MTU-21-14. Nickel mineralization started at the bedrock surface. Nickel grade and geological setting similar and analogous to Dumont and Crawford deposits.
- Several ultramafic intrusive bodies prospective for nickel have been identified on Manitou property.
- Several gold targets identified outside the ~2 km strike length of the Baltimore deformation corridor which was tested during the winter drilling program

Manitou Gold is pleased to provide details on several new gold targets, as well as the discovery of a new nickel bearing ultramafic complex on its Goudreau project in northern Ontario. Recently completed diamond drilling continues to emphasize the gold discovery potential along the BDZ, which represents the fault offset extension of the GLDZ, which hosts the Island gold and Magino mines, as well as serval other past producing gold mines.

Winter drilling focused along a short, two kilometer long segment of the largely untested western 10 kilometres of the BDZ. Although gold grades encountered were sub-economic, drilling has confirmed the presence of important geological structures and alteration that highlight the host rocks' prospectivity for gold mineralization. Drilling intersected a complex east-northeast striking greenstone and metasedimentary sequence intruded by sill-like intrusive bodies that include feldspar porphyry, a variety of mafic to felsic dikes, and several large ultramafic intrusions. Intermediate to felsic volcanics predominate the upper portion of the sequence, with feldspar porphyries and ultramafics being the dominant intrusives. The greenstone stratigraphy is cross-cut by several east-southeast striking oblique-slip faults. Individual shear zones within the corridor, comprising the larger Baltimore deformation corridor, occur proximal to the margins of three large granitoid bodies and are characterized by locally intense sericitization and carbonate alteration, both of which are important alteration styles found in host rocks mined at the Island Gold mine.

Several new gold targets have been identified along the central-eastern portion of the BDZ grid. These targets are summarized below:

- G1 This target is defined by elevated Au-in-soil values over numerous sites. Chalcophile elements including As, Sb, Bi, In and Hg-in soils are moderately elevated; Cs and Rb are potentially indicative of alteration. The soil anomalies appear to be spatially related to several interpreted low-angle structural intersections.
- G2 This target is a magnetized anomaly at the intersection of a dike and metasedimentary rocks. Au, Zn and Cd in soil values around this anomaly are notably elevated.
- G3 Three prominent structural intersections are present within this target area. Au in soils and chalcophile elements including As, Sb, BI, In, and Hg are notably elevated around these targets.
- G4 Consists of an approximately one kilometre long Au in-soil anomaly, which is broadly coincident with an interpreted 110° striking interpreted tertiary shear zone.
- G5 Two IP chargeability anomalies within felsic volcanic package. Chargeability anomalies are interpreted

13.05.2025 Seite 1/3

to be caused by sulphide mineralization. The eastern anomaly occurs proximal to the structural intersection of a 120° striking shear zone and 150° cross-fault.

The BDZ is a long-lived and deep-seated structure and is interpreted as being responsible for the emplacement of the large volumes of mafic-ultramafic rocks along the deformation corridor, including the newly identified ultramafic intrusion, where hole MTU-22-14 intersected a 50 m wide interval of highly serpentinized ultramafic rocks, analogous to the Crawford and Dumont nickel deposits, grading 0.25% Ni between 29.0 to 77 metre after reaching bedrock. Hole MTU-22-14 was collared in mineralization near the southern margin of the ultramafic intrusion and therefore did not intersect the full width of the mineralized zone.

Ultramafic intrusions along the Baltimore deformation zone occur over a minimum strike length of 3.5 kilometres, with individual bodies up to 1.5 kilometres long and 200 metres wide. Altered and potentially mineralized ultramafic rocks display distinct moderate to high magnetic character as a result of the serpentinization of an olivine rich ultramafic protolith where olivine reacts with water to form serpentine group minerals and magnetite, as well as high purity nickel sulfides and nickel alloys. The IP survey conducted in 2021 has outlined several chargeability anomalies that that are coincident with the magnetic-high responses and known ultramafic rocks. Aside from hole MTU-22-14, these bodies have never been drill tested.

The Company will be implementing a follow-up ground exploration program designed to further advance both gold and base metal targets identified to date. The program will include a combination of soil geochemistry, prospecting and potentially mechanized stripping in advance of drill testing these targets.

Sampling and Quality Control

Samples were delivered to Activation Laboratories ("Actlabs") in Thunder Bay, Ontario. At the laboratory, samples were crushed up to 80% passing 2 mm, riffle split (250 g) and then pulverized to 95% passing 105 microns. Gold was analyzed by fire assay with an AA finish, using the 50 g sub-sample. Over limit analysis was performed on all primary assay results >3 g/t gold. All over limits were tested by fire assay with gravimetric finish using a 50 g sub-sample. Selected pulps were analyzed for by a multi-element sodium peroxide fusion ICP-OES/MS technique in Ancaster, Ontario. Actlabs is a certified and ISO 17025 accredited laboratory. Standards and blanks were routinely inserted into the stream of core samples. At least 20 percent of the core samples submitted to the laboratory comprise samples used for quality control. Actlabs routinely inserts their own certified reference materials for at least 20 percent quality control in each batch.

Richard Murphy, P.Geo is the qualified person responsible for the technical content contained in this release. He has reviewed and approved the content contained herein.

For further information:

Manitou Gold Inc.

Richard Murphy, CEO Telephone: 1 (705) 698-1962 Email: info@manitougold.com

Neither TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.

Forward Looking Statements – Certain information set forth in this news release may contain forward-looking statements that involve substantial known and unknown risks and uncertainties, including regulatory risk related to the receipt of final approval of the TSX Venture Exchange for the Offering. These forward-looking statements are subject to numerous risks and uncertainties, certain of which are beyond the control of Manitou, including with respect to the prospective nature of the Stover and Renabie-Easy Lake properties. Readers are cautioned that the assumptions used in the preparation of such information, although considered reasonable at the time of preparation, may prove to be imprecise and, as such, undue reliance should not be placed on forward-looking statements.

13.05.2025 Seite 2/3

Dieser Artikel stammt von Rohstoff-Welt.de
Die URL für diesen Artikel lautet:
https://www.rohstoff-welt.de/news/420458--Manitou-Gold-Inc.-Intersects-0.25Prozent-Nickel-over-48-m-and-Update-on-Targeting-at-Goudreau-Project.html

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere AGB/Disclaimer!

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt! Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2025. Es gelten unsere <u>AGB</u> und <u>Datenschutzrichtlinen</u>.

13.05.2025 Seite 3/3