

# Great Bear Resources Ltd. Doubles Vertical Extent of LP Fault, Intersects High-Grade Gold at 942.20 m Downhole: 15.57 g/t Gold Over 3.05 m

29.03.2021 | [CNW](#)

VANCOUVER, March 29, 2021 - [Great Bear Resources Ltd.](#) (the "Company" or "Great Bear", (TSXV: GBR) (OTCQX: GTBAF) today reported results from its ongoing fully funded \$45 million 2021 exploration program at its 100% owned flagship Dixie Project in the Red Lake district of Ontario.

## Expansion of the LP Fault

- Deep drilling has doubled the drill-confirmed vertical extent of the LP Fault gold zone, which begins at bedrock surface, to approximately 800 vertical metres. The area of ongoing grid drilling extends along 4 kilometres of strike length. Figure 1 and Figure 2.
- Three new 400 - 450 metre step-down holes drilled along 500 metres of strike length all successfully intersected the continuation of the LP Fault host rocks and gold mineralization at depths of 700 - 820 vertical metres.
- Gold grades and mineralized zone thickness were better at depth on two of three tested drill sections.
- Initial deep drilling tested below the most weakly mineralized segment of the LP Fault, formerly referred to as the "Gap" zone (February 13, 2020).
- Large scale step-out drilling at depth, including below areas of high-grade gold mineralization, will continue throughout 2021.

## High-Grade Gold in the First Deep LP Fault Drill Holes

- High-grade gold was intersected at depth in two of the three deep drill holes, with better grades and thickness than previously observed in the near surface. All three deep drill holes contained multiple intervals of gold mineralization. Table 1 and Table 2.
- BR-260 is the deepest LP Fault drill hole to date. It assayed 15.57 g/t gold over 3.05 metres from 942.20 to 945.25 metres, within a broader interval of 1.08 g/t gold over 70.25 metres from 906.15 to 976.40 metres. Figure 3 and Figure 4.
- While high-grade intervals are the primary drill targets at these depths, the dual high-grade and bulk-tonnage character of the LP Fault gold zone remains strongly developed at depth.
- Oriented core data collected from these initial deep holes will assist with determining controls to higher grade panels within the broad envelope of gold mineralization.

Great Bear has now published results from 270 LP Fault drill holes and anticipates at least 130 additional LP Fault drill holes will be completed by the end of 2021, for a total of at least 400 drill holes.

Chris Taylor, President and CEO of Great Bear said, "We drilled below the most weakly mineralized segment of the LP Fault with our first deep holes, and discovered better gold mineralization at depth. After 270 drill holes we have yet to find the limits of the LP Fault's gold mineralization. Mesothermal gold systems of this type, particularly in the Red Lake area, can extend vertically over kilometres. We are currently working with in-house and external modelers to finalize 2021 drill plans, and will provide guidance over the coming weeks on expected timing of delivery of initial estimates of mineral resources."

Figure 1 (Top): Long section of the LP Fault zone showing the locations and depths of the new deep drill holes (labeled). Figure 2 (Bottom) : Map of current drill results showing the location of the new deep drill holes.

Table 1: Drill holes released to date on section 21450 showing increased gold mineralization grades and widths with increasing depth in the former "Gap" zone. See news releases of April 9, 2020 and May 4, 2020

for previously reported drill holes. New results from BR-260 in italics.

Drill Hole		From (m)	To (m)	Width* (m)	Gold (g/t)	Vertical Depth (m)
BR-078		176.00	212.90	36.90	0.42	150
BR-097		255.00	259.00	4.00	1.39	220
	and	391.70	393.50	1.80	3.49	335
BR-098		419.70	448.50	28.80	0.65	365
	and	493.25	495.05	1.80	9.90	425
BR-260		906.15	976.40	70.25	1.08	760
(new)	including	942.20	945.25	3.05	15.57	790

\* Widths are drill indicated core length, as insufficient drilling has been undertaken to determine true widths at this time. Average grades are calculated with un-capped gold assays, as insufficient drilling has been completed to determine capping levels for higher grade gold intercepts. Interval widths are calculated using a 0.10 g/t gold cut-off grade with up to 3 m of internal dilution of zero grade.

Table 2: New drill results from the first three deep holes into the LP Fault system along 500 metres of strike length in the "Gap" area.

Drill Hole		From (m)	To (m)	Width* (m)	Gold (g/t)	Section
BR-260		906.15	976.40	70.25	1.08	21450
	including	929.30	948.00	18.70	3.33	
	and including	929.30	929.80	0.50	16.50	
	and including	942.20	945.25	3.05	15.57	
	and including	942.20	942.80	0.60	73.10	
BR-261		624.85	638.50	13.65	0.57	21200
		747.15	761.00	13.85	0.44	
		811.60	823.25	11.65	0.96	
	including	822.00	823.25	1.25	5.62	
	and	835.00	839.50	4.50	1.17	
BR-262		871.00	876.50	5.50	1.19	21700
	and	933.50	950.50	17.00	1.04	
	including	946.50	948.50	2.00	7.27	
	and including	946.50	947.50	1.00	12.30	

\* Widths are drill indicated core length, as insufficient drilling has been undertaken to determine true widths at this time. Average grades are calculated with un-capped gold assays, as insufficient drilling has been completed to determine capping levels for higher grade gold intercepts. Interval widths are calculated using a 0.10 g/t gold cut-off grade with up to 3 m of internal dilution of zero grade.

Figure 3: Section 21450 showing BR-260, the deepest drill hole in the LP Fault to date. This section is located in what was formerly referred to as the "Gap" zone.

Figure 4: The deepest drill hole in the LP Fault to date. 73.10 g/t gold over 0.60 metres at 942.20 metres down hole in BR-260 (790 metres vertical depth). The shear-zone hosted disseminated high-grade gold with sparse accessory sulphides within a felsic volcanic host matches mineralization at shallower depths within the LP Fault. Image is of a selected interval and is not representative of all gold mineralization on the property.

Great Bear's progress can be followed using the Company's plan maps, long sections and cross sections, and through the VRIFY model posted at the Company's web site at [www.greatbearresources.ca](http://www.greatbearresources.ca), which will next be updated in Q2 2021. All LP Fault drill hole highlighted assays, plus drill collar locations and orientations can also be downloaded at the Company's web site.

Drill collar location, azimuth and dip for drill holes included in this release are provided in the table below (UTM zone 15N, NAD 83):

Hole ID	Easting	Northing	Elevation	Length	Dip	Azimuth
BR-260	456566	5635016	372	1200	-64	225
BR-261	456714	5634887	364	1284	-63	220
BR-262	456384	5635181	378	1110	-63	224

#### About the Dixie Project

The Dixie Project is 100% owned, comprised of 9,140 hectares of contiguous claims that extend over 22 kilometres, and is located approximately 25 kilometres southeast of the town of Red Lake, Ontario. The project is accessible year-round via a 15 minute drive on a paved highway which runs the length of the northern claim boundary and a network of well-maintained logging roads.

The Dixie Project hosts two principal styles of gold mineralization:

- High-grade gold in quartz veins and silica-sulphide replacement zones (Dixie Limb, Hinge and Arrow zones). Hosted by mafic volcanic rocks and localized near regional-scale D2 fold axes. These mineralization styles are also typical of the significant mined deposits of the Red Lake district.
- High-grade disseminated gold with broad moderate to lower grade envelopes (LP Fault). The LP Fault is a significant gold-hosting structure which has been seismically imaged to extend to 14 kilometres depth (Zeng and Calvert, 2006), and has been interpreted by Great Bear to have up to 18 kilometres of strike length on the Dixie property. High-grade gold mineralization is controlled by structural and geological contacts, and moderate to lower-grade disseminated gold surrounds and flanks the high-grade intervals. The dominant gold-hosting stratigraphy consists of felsic sediments and volcanic units.

#### About Great Bear

[Great Bear Resources Ltd.](http://www.greatbearresources.ca) is a well-financed gold exploration company managed by a team with a track record of success in mineral exploration. Great Bear is focused in the prolific Red Lake gold district in

northwest Ontario, where the company controls over 330 km<sup>2</sup> of highly prospective tenure across 5 projects: the flagship Dixie Project (100% owned), the Pakwash Property (earning a 100% interest), the Dedee Property (earning a 100% interest), the Sobel Property (earning a 100% interest), and the Red Lake North Property (earning a 100% interest) all of which are accessible year-round through existing roads.

#### QA/QC and Core Sampling Protocols

Drill core is logged and sampled in a secure core storage facility located in Red Lake Ontario. Core samples from the program are cut in half, using a diamond cutting saw, and are sent to Activation Laboratories in Ontario, an accredited mineral analysis laboratory, for analysis. All samples are analysed for gold using standard Fire Assay-AA techniques. Samples returning over 10.0 g/t gold are analysed utilizing standard Fire Assay-Gravimetric methods. Pulps from approximately 5% of the gold mineralized samples are submitted for check analysis to a second lab. Selected samples are also chosen for duplicate assay from the coarse reject of the original sample. Selected samples with visible gold are also analyzed with a standard 1 kg metallic screen fire assay. Certified gold reference standards, blanks and field duplicates are routinely inserted into the sample stream, as part of Great Bear's quality control/quality assurance program (QAQC). No QAQC issues were noted with the results reported herein.

#### Qualified Person and NI 43-101 Disclosure

Mr. R. Bob Singh, P.Geo, VP Exploration, and Ms. Andrea Diakow P.Geo, Exploration Manager for Great Bear are the Qualified Persons as defined by National Instrument 43-101 responsible for the accuracy of technical information contained in this news release.

#### ON BEHALF OF THE BOARD

"Chris Taylor"

Chris Taylor, President and CEO

#### Cautionary note regarding forward-looking statements

This release contains certain "forward looking statements" and certain "forward-looking information" as defined under applicable Canadian and U.S. securities laws. Forward-looking statements and information can generally be identified by the use of forward-looking terminology such as "may", "will", "should", "expect", "intend", "estimate", "anticipate", "believe", "continue", "plans" or similar terminology. The forward-looking information contained herein is provided for the purpose of assisting readers in understanding management's current expectations and plans relating to the future. Readers are cautioned that such information may not be appropriate for other purposes.

Forward-looking information are based on management of the parties' reasonable assumptions, estimates, expectations, analyses and opinions, which are based on such management's experience and perception of trends, current conditions and expected developments, and other factors that management believes are relevant and reasonable in the circumstances, but which may prove to be incorrect.

Such factors, among other things, include: impacts arising from the global disruption caused by the Covid-19 coronavirus outbreak, business integration risks; fluctuations in general macroeconomic conditions; fluctuations in securities markets; fluctuations in spot and forward prices of gold or certain other commodities; change in national and local government, legislation, taxation, controls, regulations and political or economic developments; risks and hazards associated with the business of mineral exploration, development and mining (including environmental hazards, industrial accidents, unusual or unexpected formations pressures, cave-ins and flooding); discrepancies between actual and estimated metallurgical recoveries; inability to obtain adequate insurance to cover risks and hazards; the presence of laws and regulations that may impose restrictions on mining; employee relations; relationships with and claims by local communities and indigenous populations; availability of increasing costs associated with mining inputs and labour; the speculative nature of mineral exploration and development (including the risks of obtaining necessary licenses, permits and approvals from government authorities); and title to properties.

Great Bear undertakes no obligation to update forward-looking information except as required by applicable law. Such forward-looking information represents management's best judgment based on information currently available. No forward-looking statement can be guaranteed and actual future results may vary materially. Accordingly, readers are advised not to place undue reliance on forward-looking statements or information.

SOURCE [Great Bear Resources Ltd.](#)

#### Contact

Investor Inquiries: Mr. Knox Henderson, Tel: 604-646-8354, Direct: 604-551-2360,  
info@greatbearresources.ca, www.greatbearresources.ca

---

Dieser Artikel stammt von [Rohstoff-Welt.de](#)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/378927--Great-Bear-Resources-Ltd.-Doubles-Vertical-Extent-of-LP-Fault-Intersects-High-Grade-Gold-at-942.20-m-Downhol>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

---

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!  
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).