

# Significant increase in gold resource for Palito- Updated Mineral Resource Statement

06.10.2023 | [GlobeNewswire](#)

Significant increase in gold resource for Palito- Updated Mineral Resource Statement

Serabi Gold (AIM:SRB, TSX:SBI), the Brazilian focused gold mining and development company, is pleased to announce updated Mineral Resource estimates for its Palito Complex (being the Palito deposit and the Sao Chico satellite deposit), prepared in accordance with the standard of CIM and Canadian National Instrument 43-101 with an effective date of 30 June, 2023 as outlined below.

## HIGHLIGHTS

- Measured and Indicated ("M&I") resource of 377,800 ounces of contained gold, an increase of 50% compared with December 2021, at the Palito Complex (1,166,300 tonnes at an average in-situ grade of 10.08 g/t).
- Further Inferred resource of 153,900 ounces (682,400 tonnes at an average in-situ grade of 7.01 g/t).
- Significant increase in average reported grade of the M&I resources at Palito Complex by 93% from 5.23 g/t to 10.08g/t.
- Increase in average reported grade of the Inferred resource by 45% from 4.83 g/t to 7.01g/t.
- NCL Consultoria en Ingenieria en Minas of Santiago, Chile ("NCL") who have prepared this Mineral Resource estimation are preparing an updated Mineral Reserve estimate and the accompanying NI 43-101 Technical Report which is expected to be issued within 45 days of the date of this release.

*(Note: All resource figures stated above are both gross and net attributable to Serabi.)*

An interview with BRR Media, where Mike Hodgson discusses this new Mineral Resource estimation can be watched using the following link - <https://www.brrmedia.co.uk/broadcasts-embed/651e8bde8fb8fe0aea8ce608/serabi-gold-palito-update/?popup=true>

Mike Hodgson, CEO of Serabi, commented:

*"This significant increase in geological resources for the Palito deposit since the last published estimation as of December 2021, is the result of an aggressive underground drilling programme over the last 18 months which has clearly been very successful. I am pleased to report that we now have a total mineral resource inventory across Coringa and the Palito Complex in excess of one million ounces.*

*"We have continually maintained that Palito is a long-life asset which can be difficult to demonstrate within a narrow vein underground deposit. When mining started in 2005, the maiden resource was approximately 400,000 ounces. With over 15 years of production during which more than 400,000 ounces has been mined, and to now have a new total mineral inventory in excess of 500,000 ounces is not only extremely encouraging but it clearly demonstrates the geological potential and a successful resource replacement strategy. We have no reason to believe this will not continue. It is also particularly pleasing to see a significant jump in grade."*

*"The veins comprising the Palito resource lie within an approximate one kilometre strike with a further three*

*kilometres remaining to be tested indicating the potential for more future upside.*

*"We wait to see how this translates into Mineral Reserves when mining dilution is taken into account, but I anticipate an uplift on the previous Mineral Reserve estimate of 58,000 ounces."*

The mineral resource estimate was prepared by Mr Nicolas Fuster of NCL Consultoria en Ingenieria en Minas, who is a Qualified Persons under the Canadian National Instrument 43-101.

#### Mineral Resource Estimates

The updated Mineral Resource estimates for the Palito Mine (Table 1) and the Sao Chico Mine (Table 2) are based on data as at June 30 2023.

Total Mineral Resources Statement for the Palito Complex (Palito and Sao Chico Mines), Para, Brazil (effective 30 Jun

	Palito			Sao Chico			Combined	
	Tonnes (000's)	Grade (g/t Au)	Contained ounces (000's oz)	Tonnes (000's)	Grade (g/t Au)	Contained ounces (000's oz)	Tonnes (000's)	Grade (g/t Au)
Resources								
Measured Resources	772.3	11.03	273.8	122.5	8.10	31.9	894.8	10.63
Indicated Resources	243.0	8.39	65.6	28.5	7.07	6.5	271.5	8.26
Measured & Indicated Resources	1,015.3	10.40	339.3	150.9	7.91	38.4	1166.3	10.08
Inferred Resources	674.2	7.02	152.2	8.2	7.84	1.7	682.4	7.01

Notes to Table 1:

(1) *Mineral Resources are not Mineral Reserves and have not demonstrated economic viability. Mineral Resources are reported inclusive of Mineral Reserves. All figures are rounded to reflect the relative accuracy of the estimates. Mineral Resources are reported within classification domains inclusive of in-situ dilution at a cut-off grade of 3.32/t gold assuming an underground extraction scenario, a gold price of US\$1,950/troy oz, an operating cost of \$198/t, and metallurgical recovery of 95%.*

(2) *Serabi is the operator and owns 100% of the Palito Complex such that gross and net attributable mineral resources are the same. The mineral resource estimate was prepared by NCL Consultoria en Ingenieria en Minas in accordance with the standard of CIM and Canadian National Instrument 43-101, with an effective date of 30 June 2023 by Mr Nicolas Fuster, who is a Qualified Person under the Canadian National Instrument 43-101.*

(3) *Polygonal techniques were used for Resources estimates.*

#### Qualified Persons and Quality Control

The scientific and technical information contained in this news release pertaining to the Coringa gold project has been reviewed and approved by the following Qualified Person under National Instrument 43-101 - Standards of Disclosure for Mineral Projects ("NI 43-101"):

- Nicolas Fuster, PE, NCL Consultoria en Ingenieria en Minas

The Qualified Person has verified the information disclosed herein, including the sampling, preparation, security and analytical procedures underlying the information or opinions contained in this announcement in accordance with standards appropriate to their qualifications.

#### Technical Report

A Technical Report is currently being prepared by NCL Consultoria en Ingenieria en Minas. In accordance with NI 43-101 this will be filed on SEDAR ([www.sedar.com](http://www.sedar.com)) and on the Company's website within 45 days of this news release.

#### Historical Estimates

Historical resource estimates for the Palito and Sao Chico ore-bodies are documented in the technical reports entitled

- NI 43-101 Technical Report, Palito Mining Complex, dated 25 January 2018,
- Mineral Resource Estimate on the Sao Chico Gold Project, Brazil, dated 15 October 2012,
- Preliminary Economic Assessment for the Jardim Do Ouro Project, Para State, Brazil, dated 28 June 2012,
- NI 43.101 Technical Report for the Jardim Do Ouro Project, Pará State, Brazil, dated 9 December 2010 and,
- Mineral Resource and Mineral Reserve Estimate for the Palito Mine, Pará State, Brazil, as at 31 March, 2008, dated September 2008,

all of which are filed on the Company's website at [www.serabigold.com](http://www.serabigold.com) and SEDAR at [www.sedar.com](http://www.sedar.com).

Historical resource estimates for the Coringa ore-body are documented in the technical reports entitled, NI 43-101 Technical Report, Coringa Project, Preliminary Economic Assessment, dated 21 October 2019, NI 43-101 Technical Report, Coringa Project, Mineral Resource Estimate , dated 18 April 2019, Coringa Gold Project, Brazil NI 43-101 Technical Report, dated June 15, 2017 and Coringa Gold Project, Brazil Feasibility Study NI 43-101 Technical Report, dated September 8, 2017.

The information contained within this announcement is deemed by the Company to constitute inside information as stipulated under the Market Abuse Regulations (EU) No. 596/2014 as it forms part of UK Domestic Law by virtue of the European Union (Withdrawal) Act 2018.

The person who arranged for the release of this announcement on behalf of the Company was Clive Line, Director.

#### Enquiries

##### [Serabi Gold Plc](#)

Michael Hodgson t +44 (0)20 7246 6830  
Chief Executive m +44 (0)7799 473621

Clive Line t +44 (0)20 7246 6830  
Finance Director m +44 (0)7710 151692

e [contact@serabigold.com](mailto:contact@serabigold.com)

[www.serabigold.com](http://www.serabigold.com)

BEAUMONT CORNISH Limited  
Nominated Adviser & Financial Adviser  
Roland Cornish / Michael Cornish t +44 (0)20 7628 3396

PEEL HUNT LLP  
Joint UK Broker  
Ross Allister t +44 (0)20 7418 9000

TAMESIS PARTNERS LLP  
Joint UK Broker  
Charlie Bendon/ Richard Greenfield t +44 (0)20 3882 2868

CAMARCO  
Financial PR  
Gordon Poole / Emily Hall t +44 (0)20 3757 4980

Copies of this announcement are available from the Company's website at [www.serabigold.com](http://www.serabigold.com).

*Neither the Toronto Stock Exchange, nor any other securities regulatory authority, has approved or disapproved of the contents of this news release.*

## APPENDIX

### Mineral Reserves and Resources

The Company estimates and discloses mineral reserves and resources using the definitions adopted by the Canadian Institute of Mining, Metallurgy and Petroleum, and in accordance with NI 43-101. Further details are available at [www.cim.org](http://www.cim.org). See the "Glossary of Geological and Mining Terms" for complete definitions of mineral reserves and mineral resources.

### About Mineral Resources

Mineral resources are not mineral reserves and do not have demonstrated economic viability but do have reasonable prospect for economic extraction. They fall into three categories: measured, indicated, and inferred. The reported mineral resources are stated inclusive of mineral reserves. Measured and indicated mineral resources are sufficiently well-defined to allow geological and grade continuity to be reasonably assumed and permit the application of technical and economic parameters in assessing the economic viability of the mineral resource. Inferred mineral resources are estimated on limited information not sufficient to verify geological and grade continuity or to allow technical and economic parameters to be applied. Inferred mineral resources are too speculative geologically to have economic considerations applied to them. There is no certainty that mineral resources of any category will be upgraded to mineral reserves.

### Important Information about Mineral Reserve and Resource Estimates

Whilst the Company takes all reasonable care in the preparation and verification of the mineral reserve and resource figures, the figures are estimates based in part on forward-looking information. Estimates are based on management's knowledge, mining experience, analysis of drilling results, the quality of available data and management's best judgment. They are, however, imprecise by nature, may change over time, and include many variables and assumptions including geological interpretation, commodity prices and currency exchange rates, recovery rates, and operating and capital costs. There is no assurance that the indicated levels of metal will be produced, and the Company may have to re-estimate the mineral reserves based on actual production experience. Changes in the metal price, production costs or recovery rates could make it unprofitable to operate or develop a particular deposit for a period of time.

A comparison of the updated Mineral Resource Estimate ("MRE") as at 30 June 2023 with the previously reported Mineral Resource Estimate as at 31 December 2021 published on 7 March 2022 is set out below.

### Comparison of Mineral Resources for the Palito Mine, Para, Brazil (effective 30 June 2023)

	June 2023 MRE			December 2021 MRE		
	Tonnes 000's	Grade (g/t Au)	Contained ounces 000's	Tonnes 000's	Grade (g/t Au)	Contained ounces 000's
Resources						
Measured Resources	772.3	11.03	273.8	39.2	6.63	8
Indicated Resources	243.0	8.39	65.6	1,093.2	5.22	184

Measured & Indicated Resources	1,015.3	10.40	339.3	1,132.4	5.27	192
Inferred Resources	674.2	7.02	152.2	882.1	5.00	142

Comparison of Mineral Resources for the Sao Chico Mine, Para, Brazil (effective 30 June 2023)

Resources	June 2023 MRE			December 2021 MRE		
	Tonnes 000's	Grade (g/t Au)	Contained ounces 000's	Tonnes 000's	Grade (g/t Au)	Contained ounces 000's
Measured Resources	122.5	8.10	31.9	9.6	8.38	3
Indicated Resources	28.5	7.07	6.5	360.5	5.00	58
Measured & Indicated Resources	150.9	7.91	38.4	370.1	5.09	61
Inferred Resources	8.2	7.84	1.7	547.6	4.55	80

Comparison of Mineral Resources for the Palito Complex, Para, Brazil (effective 30 June 2023)

Resources	June 2023 MRE			December 2021 MRE		
	Tonnes 000's	Grade (g/t Au)	Contained ounces 000's	Tonnes 000's	Grade (g/t Au)	Contained ounces 000's
Measured Resources	894.8	10.63	305.7	48.8	6.98	11.0
Indicated Resources	271.5	8.26	72.1	1,453.7	5.17	241.5
Measured & Indicated Resources	1,166.3	10.08	377.8	1,502.5	5.23	252.5
Inferred Resources	682.4	7.01	153.9	1,429.7	4.83	221.9

GLOSSARY OF TERMS

The following is a glossary of technical terms:

"Ag"	means silver.
"Au"	means gold.
"assay"	in economic geology, means to analyse the proportions of metal in a rock or overburden ore or mineral for composition, purity, weight or other properties of commercial interest.
"CIM"	means the Canadian Institute of Mining, Metallurgy and Petroleum.
"chalcopyrite"	is a sulphide of copper and iron.
"Cu"	means copper.
"cut-off grade"	the lowest grade of mineralised material that qualifies as ore in a given deposit; rock of this grade is included in an ore estimate.
"dacite porphyry intrusive"	a silica-rich igneous rock with larger phenocrysts (crystals) within a fine-grained matrix.
"deposit"	is a mineralised body which has been physically delineated by sufficient drilling, trenching, underground work, and found to contain a sufficient average grade of metal or metals to justify further exploration and/or development expenditures; such a deposit does not qualify as a commercial ore body or as containing ore reserves, until final legal, technical, and economic factors are considered.
"electromagnetics"	is a geophysical technique tool measuring the magnetic field generated by subjecting the earth to electrical currents.
"garimpo"	is a local artisanal mining operation
"garimpeiro"	is a local artisanal miner.
"geochemical"	refers to geological information using measurements derived from chemical analysis.
"geophysical"	refers to geological information using measurements derived from the use of magnetic and gravity readings.

"geophysical techniques"	include the exploration of an area by exploiting differences in physical properties of different rocks. Geophysical methods include seismic, magnetic, gravity, induced polarisation and other methods. Geophysical surveys can be undertaken from the ground or from the air.
"gossan"	is an iron-bearing weathered product that overlies a sulphide deposit.
"grade"	is the concentration of mineral within the host rock typically quoted as grams per tonne (g/t) or parts per million (ppm) or parts per billion (ppb).
"g/t"	means grams per tonne.
"granodiorite"	is an igneous intrusive rock similar to granite.
"hectare" or a "ha"	is a unit of measurement equal to 10,000 square metres.
"igneous"	is a rock that has solidified from molten material or magma.
"IP"	refers to induced polarisation, a geophysical technique whereby an electric current is induced in the sub-surface and the conductivity of the sub-surface is recorded.
"intrusive"	is a body of rock that invades older rocks.
"Indicated Mineral Resource"	An Indicated Mineral Resource is that part of a Mineral Resource for which quantity, grade or densities, shape and physical characteristics are estimated with sufficient confidence to allow the application of Modifying Factors in sufficient detail to support mine planning and evaluation of the economic viability of the deposit. Geological evidence is derived from adequately detailed and reliable exploration, sampling and testing and is sufficient to assume geological and grade or quality continuity between points of observation. An Indicated Mineral Resource has a lower level of confidence than that applying to a Measured Mineral Resource and may only be converted to a Probable Mineral Reserve.
"Inferred Mineral Resource"	An Inferred Mineral Resource is that part of a Mineral Resource for which quantity and grade or densities are estimated on the basis of limited geological evidence and sampling. Geological evidence is sufficient to assume geological and grade or quality continuity but not verify geological and grade or quality continuity. An Inferred Mineral Resource has a lower level of confidence than that applying to an Indicated Mineral Resource and must not be converted to a Probable Mineral Reserve. It is reasonably expected that the majority of Inferred Mineral Resources could be converted to Indicated Mineral Resources with continued exploration.
"Measured Mineral Resource"	A Measured Mineral Resource is that part of a Mineral Resource for which quantity, grade or densities, shape, and physical characteristics are estimated with confidence sufficient to allow the application of Modifying Factors to support detailed mine planning and final evaluation of the economic viability of the deposit. Geological evidence is derived from detailed and reliable exploration, sampling and testing and is sufficient to confirm geological and grade or quality continuity between points of observation. A Measured Mineral Resource has a higher level of confidence than that applying to either an Indicated Mineral Resource or an Inferred Mineral Resource. It may be converted to a Proven Mineral Reserve or to a Probable Mineral Reserve.
"mineralisation"	the concentration of metals and their chemical compounds within a body of rock.
"mineralised"	refers to rock which contains minerals e.g. iron, copper, gold.
"Mineral Resource"	A Mineral Resource is a concentration or occurrence of solid material of economic interest in or on the Earth's crust in such form, grade or quality and quantity that there are reasonable prospects for eventual economic extraction. The location, quantity, grade or quality, continuity and other geological characteristics of a Mineral Resource are known, estimated or interpreted from specific geological evidence and data, including sampling.
"Mineral Reserve"	A Mineral Reserve is the economically mineable part of a Measured and/or Indicated Mineral Resource. It includes diluting materials and allowances for losses, which may occur when the material is mined, extracted and is defined by studies at Pre-Feasibility or Feasibility level as appropriate to the circumstances and application of Modifying Factors. Such studies demonstrate that, at the time of reporting, the Mineral Reserve can reasonably be justified.
"Mo-Bi-As-Te-W-Sn"	Molybdenum-Bismuth-Arsenic-Tellurium-Tungsten-Tin
"monzogranite"	a biotite rich granite, often part of the later-stage emplacement of a larger granite body.
"mt"	means million tonnes.
"ore"	means a metal or mineral or a combination of these of sufficient value as to quality and quantity to be mined at a profit.
"oxides"	are near surface bed-rock which has been weathered and oxidised by long term exposure to water and air.
"ppm"	means parts per million.
"saprolite"	is a weathered or decomposed clay-rich rock.

"sulphide"	refers to minerals consisting of a chemical combination of sulphur with a metal.
"vein"	is a generic term to describe an occurrence of mineralised rock within an area of non-metamorphosed rock.
"VTEM"	refers to versatile time domain electromagnetic, a particular variant of time-domain electromagnetic induction survey to prospect for conductive bodies below surface.
"XRF"	X-ray Fluorescence (XRF) is a spectrometric technique used to perform elemental analysis on samples

#### Assay Results

Assay results reported within this release include those provided by the Company's own on-site laboratory facilities at Palito and have not yet been independently verified. Serabi closely monitors the performance of its own facility against results from independent laboratory analysis for quality control purpose. As a matter of normal practice, the Company sends duplicate samples derived from a variety of the Company's activities to accredited laboratory facilities for independent verification. Since mid-2019, over 10,000 exploration drill core samples have been assayed at both the Palito laboratory and certified external laboratory, in most cases the ALS laboratory in Belo Horizonte, Brazil. When comparing significant assays with grades exceeding 1 g/t gold, comparison between Palito versus external results record an average over-estimation by the Palito laboratory of 6.7% over this period. Based on the results of this work, the Company's management are satisfied that the Company's own facility shows sufficiently good correlation with independent laboratory facilities for exploration drill samples. The Company would expect that in the preparation of any future independent Reserve/Resource statement undertaken in compliance with a recognised standard, the independent authors of such a statement would not use Palito assay results without sufficient duplicates from an appropriately certificated laboratory.

#### Forward-looking statements

Certain statements in this announcement are, or may be deemed to be, forward looking statements. Forward looking statements are identified by their use of terms and phrases such as "believe", "could", "should", "envisage", "estimate", "intend", "may", "plan", "will" or the negative of those, variations or comparable expressions, including references to assumptions. These forward-looking statements are not based on historical facts but rather on the Directors' current expectations and assumptions regarding the Company's future growth, results of operations, performance, future capital and other expenditures (including the amount, nature and sources of funding thereof), competitive advantages, business prospects and opportunities. Such forward looking statements reflect the Directors' current beliefs and assumptions and are based on information currently available to the Directors. A number of factors could cause actual results to differ materially from the results discussed in the forward-looking statements including risks associated with vulnerability to general economic and business conditions, competition, environmental and other regulatory changes, actions by governmental authorities, the availability of capital markets, reliance on key personnel, uninsured and underinsured losses and other factors, many of which are beyond the control of the Company. Although any forward-looking statements contained in this announcement are based upon what the Directors believe to be reasonable assumptions, the Company cannot assure investors that actual results will be consistent with such forward looking statements.

#### Qualified Persons Statement

The scientific and technical information contained within this announcement has been reviewed and approved by Michael Hodgson, a Director of the Company. Mr Hodgson is an Economic Geologist by training with over 30 years' experience in the mining industry. He holds a BSc (Hons) Geology, University of London, a MSc Mining Geology, University of Leicester and is a Fellow of the Institute of Materials, Minerals and Mining and a Chartered Engineer of the Engineering Council of UK, recognizing him as both a Qualified Person for the purposes of Canadian National Instrument 43-101 and by the AIM Guidance Note on Mining and Oil & Gas Companies dated June 2009.

*Neither the Toronto Stock Exchange, nor any other securities regulatory authority, has approved or disapproved of the contents of this news release*

#### Attachment

- Palito Resources Update vFINAL

Dieser Artikel stammt von [Rohstoff-Welt.de](#)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/454645--Significant-increase-in-gold-resource-for-Palito--Updated-Mineral-Resource-Statement.html>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

---

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!  
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).