

Pelangio Exploration Inc. Announces an Updated Mineral Resource Estimate for Its Manfo Gold Project, Ghana

21.08.2025 | [Newsfile](#)

Toronto, August 20, 2025 - [Pelangio Exploration Inc.](#) (TSXV: PX) (OTC PINK: PGXPF) ("Pelangio" or the "Company") is pleased to announce the results of an updated, independent, Mineral Resource Estimate (the "Resource") for the Company's 100% owned Manfo Gold Project ("Manfo") in Ghana. The Resource was completed by SEMS Technical Services Ltd. of Ghana.

The Resource, with an effective date of July 31, 2025, is reported for four gold deposits using constraining optimized pits at a gold price of US\$2,600 per ounce, and:

- Updates Pelangio's Maiden gold resource estimate which was completed in 2013 at a gold price of US\$1,450 per ounce.
- Defines a total Indicated Mineral Resource of 441,000 ounces of gold at an average grade of 1.16 g/t Au and totalling 11,787,000 tonnes; and
- Defines a total Inferred Mineral Resource of 396,000 ounces of gold at an average grade of 0.77 g/t Au and totalling 16,048,000 tonnes.
- Adds a fourth deposit to the Resource for Manfo, the Nkansu deposit.
- Represents an increase of 126% in estimated gold ounces in the Indicated category plus an increase of 395% in estimated gold ounces in the Inferred category as compared to the 2013 pit-constrained mineral resource estimate that used \$1,450 Au for its pit optimization.

The August 2025 Resource (refer to Table 1) uses the 2013 deposit models for the Manfo gold project generated by SRK Consulting (Canada) Inc., updated to include drilling conducted by Pelangio since 2013. A new model was created for the Nkansu deposit, which was largely drilled after the 2013 Maiden Resource, adding a fourth deposit to the Manfo total Resource. The updated Resource reflects the significantly increased gold price since 2013 using US\$2,600 per ounce gold for the economic pit optimizations as compared to US\$1,450 used in 2013 and utilizes lower gold grade cut-off values justified by the current gold price. In addition to the gold price, the other parameters for the economic pit optimization, including costs, pit slopes and recoveries were reviewed and updated as appropriate to reflect current economic conditions. The 2025 updated Resource has returned substantially more pit-constrained gold mineralization than the 2013 resource estimate defined, although at lower average gold grades. Refer to the detailed discussion below.

The Company intends to file a technical report in respect of the Resource within 45 days and will issue an additional news release at that time.

"The updated Manfo resource estimate demonstrates a substantial increase in both tonnage and contained gold, with a notable improvement in the confidence of the Indicated category. The integration of new drilling data and the addition of the Nkosuo mining lease have materially enhanced the project's scale and potential. Our focus now shifts to targeted infill drilling, step-out drilling and exploration on both Manfo and Nkosuo to further define and expand the resource base, while advancing technical studies to support future development decisions," remarked Ingrid Hibbard, President and CEO.

Table 1. Mineral Resource Statement for the Manfo Gold Project (July 31, 2025)

Classification Category	Indicated Cut-off Grade (g/t Au)	Indicated			Inferred		
		Quantity (000' tonnes)	Grade (g/t Au)	Cont. Gold (000' oz)	Quantity (000' tonnes)	Grade (g/t Au)	Cont. Gold (000' oz)
Oxide	0.25	55	1.30	2	1,024	0.69	23
Transition	0.35	458	1.70	25	2,017	0.79	51
Fresh	0.35	11,274	1.14	414	13,007	0.77	322

Totals	11,787	1.16	441	16,048	0.77	396
--------	--------	------	-----	--------	------	-----

Notes:

1. The Indicated mineral resource and the Inferred mineral resource are reported in accordance with Canadian Securities Administrators National Instrument 43-101 - Standards of Disclosure for Mineral Projects and have been estimated following the generally accepted Canadian Institute of Mining, Metallurgy and Petroleum 'Estimation of Mineral Resource and Mineral Reserves Best Practices Guidelines' (2014).
2. Mineral resources are distinct from mineral reserves, have not demonstrated economic viability, and there is no certainty that they will be converted into a mineral reserve.
3. The Inferred mineral resource estimate has a lower level of confidence than that applied to an Indicated mineral resource. While it is reasonably expected that some portion of the Inferred Mineral Resource could potentially be upgraded to an Indicated mineral resource with further drilling, it is not certain, and Inferred resources may prove to be uneconomic.
4. Factors that could materially affect the reported Mineral Resource include changes in metal price and exchange rate assumptions; changes to assumed metallurgical recoveries, mining dilution and recovery; and assumptions as to the continued ability to access the site, extend and/or retain mineral and surface rights, titles and permits, maintain environmental and other regulatory permits, and continued community and stakeholder support for ongoing activities.
5. The Mineral Resource estimate was prepared by independent Qualified Persons Simon Meadows Smith (FIMMM # 49627) and Andrew Netherwood (MAusIMM #100463) of SEMS Technical Services Ltd. Ghana and has an effective date of July 31, 2025.
6. The Mineral Resource updates the 2013 maiden mineral resource estimate prepared by SRK Consulting (Canada) Inc. released on May 17, 2013, and filed June 21, 2013. SEMS Technical Services reviewed and validated SRK's models and updated them with the information from holes drilled by Pelangio Exploration after 2013 and used the updated models for the basis of their mineral resource estimation.
7. The Resource estimation was conducted for four individual economically pit-constrained deposits on the Manfo project, including Pokukrom East, Pokukrom West, Nkansu and Nfante West. The Nkansu deposit was largely drilled after the 2013 maiden resource was estimated and is a new addition to the total resource at Manfo.
8. Drill assay grades were composited to one-meter lengths with top-cutting varying by resource domain and ranging up to a maximum of 30.0 g/t Au.
9. Mineral resource estimation consisted of standard geostatistical techniques of variography and ordinary kriging applied to wireframe models of mineralization and lithological alteration zones as defined by various interpreted resource domains.
10. To demonstrate the mineral resources defined hold "reasonable prospects for eventual economic extraction by open pit mining", open pit economic optimization techniques were employed to generate conceptual pits shells (constraining surfaces) and the resource material wholly contained within the conceptual pits is reported. Several assumptions go into the pit optimization process, including gold price, operating costs, metallurgical recovery and pit slopes and those used in the current mineral resource estimate are listed in Table 2. A gold price of US\$2,600 per ounce was used for this mineral resource estimation.
11. Cut-off grades were determined from the pit optimization assumptions.
12. Mineral resource tonnage and contained metal have been rounded to reflect the accuracy of the estimate, and numbers may not add due to rounding.
13. The figures for contained gold are economic pit-constrained in-situ mineral resources reported as undiluted with 100% mining recovery.

Table 2. Assumptions for Conceptual Open Pit Optimization for the Manfo Gold Project

Parameter	Unit	Optimization Assumptions
Gold price	\$/oz	\$2600
G&A cost	\$/t ore	\$6
Treatment cost: oxide / transition + fresh	\$/t ore	\$11 / \$17
Metallurgical recovery: oxide / transition + fresh	%	94 / 90
Average mining cost: oxide / transition + fresh	\$/t mined	\$2.20 / \$3.10
Slope angles: oxide + transition / fresh	degrees	40 / 54
Mining dilution / recovery	%	0 / 100

2025 Mineral Resource Estimation Details:

An updated Mineral Resource Estimate was completed for the Manfo gold project in August of 2025. Gold

mineralization at Manfo occurs in 8 prospects along a 9-kilometer-long structural corridor in a granodiorite intrusive, three of which were drilled to a resource status and were included within the Maiden Resource estimate for Manfo released in 2013. The gold mineralization is hosted in brittle-ductile shears and brecciation cutting through the granodiorite with progressive chlorite-hematite-carbonate-sericite-silica alteration with quartz veining and pyrite. The chlorite-hematite altered zones are generally low in gold grade (<0.5 g/t Au) while the sericite-silica altered zones with more abundant quartz veining and pyrite can be high in gold grade (>5 g/t Au).

The August 2025 Resource updates the 2013 maiden resource estimate to reflect the increase in gold price since 2013 and incorporates drilling conducted by Pelangio after 2013. A fourth deposit, Nkansu, largely drilled post-2013, has been added to the total resource. Figure 1 shows the relative locations of the four deposits. The drilling used to estimate the Resource for the four deposits totals 38,070 meters in 202 holes including 35,930 meters of diamond drilling in 175 holes plus 2,140 meters of reverse circulation drilling in 27 holes. SEMS Technical Services updated the original grade block models created in 2013 by SRK Consulting (Canada) Inc. for the Pokukrom East and West deposits to account for post-2013 drilling, a new model was created for the Nkansu deposit, and the Nfante West model remains unchanged since 2013. SEMS used Datamine™ software to review and update the mineral resource estimation domains, prepare assay data for geostatistical analysis, construct the block models, estimate metal grades, and tabulate mineral resources. Mineral resource estimation consisted of standard geostatistical techniques of variography and ordinary kriging applied to wireframe models of mineralization and lithological alteration zones as defined by the interpreted resource domains. To demonstrate "reasonable prospects for eventual economic extraction" based upon open pit mining methods and conventional treatment processes, pit optimization techniques were used to generate conceptual pit shells ensuring that appropriate assumptions for the relevant technical and economic factors were considered in the determination of the stated Resource. The assumptions used for the 2025 updated resource estimation, which include gold price, operating costs, metallurgical recovery and pit slopes, are listed in Table 2. The cut-off grades were derived from these assumptions. The gold cut-off grades were decreased from 2013 with 0.25 g/t Au for the oxides and 0.35 g/t Au for the transitional and fresh resource material (the majority of the resource) used in the 2025 Resource estimation versus 0.40 g/t Au for oxides and 0.50 g/t Au for transitional and fresh used in 2013.

The total Resource for the Manfo project is listed in Table 1 and the resource estimation for the four individual deposits is listed in Table 3. The Pokukrom East deposit is the largest by far of the four deposits and accounts for 91% of the total Indicated resource with 402,000 ounces of gold based on 11,313,000 tonnes averaging 1.11 g/t Au plus 65% of the total Inferred resource with 258,000 ounces of gold based on 10,878,000 tonnes averaging 0.74 g/t Au. The Pokukrom West deposit, while relatively small with 39,000 ounces of Indicated gold plus 23,000 ounces of Inferred gold is the highest grade of the four deposits averaging 2.54 g/t Au for the Indicated category. The Nfante West and Nkansu deposit resources are entirely Inferred currently due to their wider spaced drilling and lower demonstrated grade continuity between drillholes. Most of the resource is in fresh rock comprising 94% of the total Indicated resource plus 81% of the total Inferred resource. Refer to Table 3.

SEMS also determined the sensitivity of a range of gold cut-off grades on the block model gold content constrained by the optimized pit shells as listed in Table 4. At a very low cut-off grade of 0.10 g/t Au the total (oxide+ transitional + fresh) Indicated gold content is estimated to be 12,142,000 tonnes averaging 1.14 g/t Au for 444,000 ounces gold plus 39,071,000 tonnes averaging 0.43 g/t Au for 535,000 ounces gold in the Inferred category for the four deposits combined. At a higher cut-off grade of 0.50 g/t Au, as was used in 2013 for the transitional and fresh resource material, the total Indicated gold content is 9,834,000 tonnes averaging 1.31 g/t Au for 413,000 ounces of gold plus 10,214,000 tonnes averaging 0.97 g/t Au for 320,000 ounces gold in the Inferred category.

Table 3. Mineral Resource by Zone for the Manfo Gold Project

Deposit	Classification Category	Cut-off Grade (g/t Au)	Indicated			Inferred		
			Quantity (000' tonnes)	Grade (g/t Au)	Contained Gold (000' oz)	Quantity (000' tonnes)	Grade (g/t Au)	Contained Gold (000' oz)
Pokukrom East	Oxide	0.25	41	0.69	1	474	0.65	10
	Transition	0.35	302	1.06	10	922	0.79	23
	Fresh	0.35	10,970	1.11	391	9,482	0.74	225
	Sub-total		11,313	1.11	402	10,878	0.74	258

	Oxide	0.25	14	3.06	1	43	2.05	3
Pokukrom West	Transition	0.35	156	2.95	15	136	1.27	6
	Fresh	0.35	304	2.31	23	237	1.96	15
	Sub-total		474	2.54	39	417	1.75	23
	Oxide	0.25				355	0.67	8
Nfante West	Transition	0.35				675	0.77	17
	Fresh	0.35				1,612	0.75	39
	Sub-total					2,642	0.74	63
	Oxide	0.25				152	0.49	2
Nkansu	Transition	0.35				284	0.60	5
	Fresh	0.35				1,676	0.81	43
	Sub-total					2,111	0.76	51
	Oxide	0.25	55	1.30	2	1,024	0.69	23
Totals	Transition	0.35	458	1.70	25	2,017	0.79	51
	Fresh	0.35	11,274	1.14	414	13,007	0.77	322
	Grand Total		11,787	1.16	441	16,048	0.77	396

Table 4. Block Model Gold Estimates at Different cut-off grades* (combined oxide, transitional and fresh material)

Classification Category	Indicated				Inferred			
	Cut-off Grade (g/t Au)	Quantity (000' tonnes)	Grade (g/t Au)	Cont. Gold (000' oz)	Quantity (000' tonnes)	Grade (g/t Au)	Cont. Gold (000' oz)	
	0.10	12,142	1.14	444	39,071	0.43	535	
	0.15	12,130	1.14	444	29,616	0.52	498	
	0.20	12,108	1.14	444	24,611	0.59	471	
	0.25	12,037	1.15	443	21,217	0.65	446	
	0.30	11,916	1.15	442	18,583	0.71	423	
Total all	0.35	11,786	1.16	441	15,755	0.78	393	
Material Types and Deposits	0.40	11,641	1.17	439	13,165	0.86	362	
	0.45	10,707	1.24	427	11,601	0.91	341	
	0.50	9,834	1.31	413	10,214	0.97	320	
	0.55	9,046	1.38	400	9,040	1.03	300	
	0.60	8,306	1.45	386	8,031	1.09	281	

* The figures presented above are only intended to show cut-off grade sensitivity on the estimated gold content of the block models but do not represent a Mineral Resource Statement.

In comparison to SRK's 2013 maiden mineral resource estimation for the Manfo project, the higher gold price and lower cut-off grades used in the 2025 estimation returned a pit-constrained resource significantly larger with respect to tonnage and gold content, and lower in average gold grade than for 2013. It should be noted that the 2013 resource estimation was prepared in accordance with the CIM definitions in place at the time. As a result, the 2013 Resource (refer to Table 5) included material which was above the gold cut-off grades but located outside of the \$1,450 Au conceptual pit shells ("Outside Pit") but SRK justified its inclusion as Inferred resource material if it was adjacent to and at a shallower elevation than the conceptual pit bottoms on the assumption that under higher gold prices the material "may be economically amenable to open pit extraction". Little did SRK know that twelve years later gold prices would be more than double and most of this material is now captured by economically optimized pits.

Comparing apples with apples, that is, the total project economically pit-constrained resource estimated in 2025 versus that from 2013, the Indicated resource gold content has increased by 126% going from 3,973,000 tonnes averaging 1.52 g/t Au containing 195,000 ounces of gold in 2013 to 11,787,000 tonnes averaging 1.16 g/t Au for 441,000 ounces of gold. The average gold grade however decreased by 24% reflecting the lower gold cut-off grades used in 2025. For the Inferred pit-constrained resource the total gold content increased by 395% going from 2,253,000 tonnes averaging 1.10 g/t Au containing 80,000 ounces gold in 2013 to 16,048,000 tonnes averaging 0.77 g/t Au containing 396,000 ounces gold with an average gold grade decrease of 30%. Refer to Table 6.

Table 5. Maiden Resource Estimate* for the Manfo Project by SRK Consulting, Canada, (May 17, 2013)

Category	Cut-off Grade (g/t Au)	Indicated			Inferred		
		Quantity (000' tonnes)	Grade (g/t Au)	Cont. Gold (000' oz)	Quantity (000' tonnes)	Grade (g/t Au)	Cont. Gold (000' oz)
Inside Pit							
Oxide	0.4	49	0.96	2	458	1.07	16
Transitional	0.5	382	1.96	24	876	1.13	32
Fresh	0.5	3,543	1.49	169	918	1.09	32
Total		3,973	1.52	195	2,253	1.1	80
Outside Pit							
Oxide	0.4				50	0.68	1
Transitional	0.5				217	0.72	5
Fresh	0.5				7,146	0.93	213
Total					7,413	0.92	218
Combined Inside + Outside Pit							
Oxide	0.4	49	0.96	2	508	1.05	17
Transitional	0.5	382	1.96	24	1,093	1.05	37
Fresh	0.5	3,543	1.49	169	8,064	0.94	245
Grand Total		3,973	1.52	195	9,666	0.96	298

* The 2013 Mineral Resource Estimate is not disclosed in a manner compliant with today's CIM standards.

1. The 2013 MRE was conducted at a gold price of US\$1,450/oz. Only 56% of the total resource was pit constrained.

2. Refer to the June 21, 2013, Technical Report by SRK Consulting (Canada) for the details.

Table 6. Comparison of the Pit-Constrained Mineral Resource Estimations for 2013 and 2025

Resource Parameters	Indicated				Inferred			
	Cut-off Year Grades (g/t Au)	Gold Price USD	Quantity (000' tonnes)	Grade (g/t Au)	Cont. Gold (000' oz)	Quantity (000' tonnes)	Grade (g/t Au)	Cont. Gold (000' oz)
2013	0.40/0.50	1,450	3,973	1.52	195	2,253	1.10	80
2025	0.25/0.35	2,600	11,787	1.16	441	16,048	0.77	396
% Increase / Decrease			197	-24	126	612	-30	395

Resource Growth and Exploration Potential

With 396,000 gold ounces (16,048,000 tonnes at an average grade of 0.77 g/t Au) of the Resource in the 2025 update being in the Inferred category, SEMS Technical Services has recommended infill drilling programs to convert more of the Inferred to Indicated resources. Additionally, much of the mineralization remains open-ended on the Manfo project and there is scope to expand the gold resource through successful resource extensional drilling and infill drilling follow up. Figure 2, which is a vertical long-section of the gold grade block model for the Pokukrom East deposit, shows the deposit remains open down-plunge and the northern end of the conceptual \$2,600 Au optimized pit is undrilled and not reflected in the current Resource. Additionally, the shallower southern end of the deposit is still open down-dip. Further drilling at Pokukrom East as well as at the other three deposits could potentially add to the total Resource. Exploration drilling programs have also been proposed for the greater Manfo property, and there is potential to add one or more satellite deposits to the project with numerous compelling untested exploration targets remaining, such as the large Bomfaa gold in soil anomaly two to three kilometres northwest of the Pokukrom deposits (refer to Figure 1).

The greatest exploration potential lies in the recent addition of the Nkosuo Mining Permit immediately south of the Manfo property. Hosting interpreted extensions of two of the known Manfo mineralized structures plus possibly additional structures as demonstrated by historical exploration work by Ashanti Goldfields (now AngloGold Ashanti) plus considerable workings by artisanal miners, it is believed that the Nkosuo Lease holds potential for significant new discovery. Exploration work by Pelangio has commenced on the Nkosuo Lease with a UAV (drone) high resolution magnetics survey nearing completion, to be followed by a UAV orthophotography survey, soil geochemical sampling and drill testing of the ranked targets.

Figure 1. Map of the Manfo - Nkosuo Project and 2025 MRE Deposit Locations

To view an enhanced version of this graphic, please visit:

https://images.newsfilecorp.com/files/6179/263240_9eb7c383543d6a81_001full.jpg

Figure 2. Vertical Long-section of the Pokukrom East Block Model

To view an enhanced version of this graphic, please visit:

https://images.newsfilecorp.com/files/6179/263240_9eb7c383543d6a81_002full.jpg

Qualified Person

Mr. Kevin Thomson, P.Geo. (Ontario, #0191), Senior Vice-President, Exploration and Director, is a qualified person within the meaning of National Instrument 43-101 Standards of Disclosure for Mineral Projects. Mr. Thomson approved the scientific and technical disclosure in this release.

About Pelangio Exploration Inc.:

For additional information, please visit our website at www.pelangio.com, or contact: Ingrid Hibbard, President and CEO Tel: 905-336-3828 // Email: info@pelangio.com

Forward-Looking Statements: Certain statements herein may contain forward-looking statements and forward-looking information within the meaning of applicable securities laws. Forward-looking statements or information appear in a number of places and can be identified by the use of words such as "plans", "expects" or "does not expect", "is expected", "budget", "scheduled", "estimates", "forecasts", "intends", "anticipates" or "does not anticipate" or "believes" or variations of such words and phrases or statements that certain actions, events or results "may", "could", "would", "might" or "will" be taken, occur or be achieved. Forward-looking statements and information include statements regarding the Company's ability to complete proposed targeted infill drilling, step-out drilling and exploration to further define and expand the resource base, as well as further drilling at Pokukrom East and the other deposits, potential expansion of the Resource, potential conversion of Inferred to Indicated ounces, planned work programs, advancing technical studies, future development decisions, the potential addition of satellite deposits, the potential for a large discovery at Nkosuo, the Company's strategy of acquiring large land packages in areas of sizeable gold mineralization, the Company's plans to follow-up on previous work, and the Company's exploration plans. With respect to forward-looking statements and information contained herein, we have made numerous assumptions, including assumptions about the state of the equity markets. Such forward-looking statements and information are subject to risks, uncertainties and other factors which may cause the Company's actual results, performance or achievements, or industry results, to be materially different from any future results, performance or achievements expressed or implied by such forward-looking statement or information. Such risks include the changes in equity markets, share price volatility, volatility of global and local economic climate, inability to obtain necessary approvals or permits in Ghana, gold price volatility, political developments in Ghana and Canada, increases in costs, exchange rate fluctuations, speculative nature of gold exploration, including the risk that favourable exploration results may not be obtained, and other risks involved in the gold exploration industry. See the Company's annual and quarterly financial statements and management's discussion and analysis for additional information on risks and uncertainties relating to the forward-looking statement and information. There can be no assurance that a forward-looking statement or information referenced herein will prove to be accurate, as actual results and future events could differ materially from those anticipated in such statements or information. Also, many of the factors are beyond the control of the Company. Accordingly, readers should not place undue reliance on forward-looking statements or information. We undertake no obligation to reissue or update any forward-looking statements or information except as required by law. All forward-looking statements and information herein are qualified by this cautionary statement. Neither the TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.

To view the source version of this press release, please visit <https://www.newsfilecorp.com/release/263240>

Dieser Artikel stammt von [Rohstoff-Welt.de](#)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/702559--Pelangio-Exploration-Inc.-Announces-an-Updated-Mineral-Resource-Estimate-for-Its-Manfo-Gold-Project-Ghana.h>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).