

# Maxus Mining Highlights Historical Polymetallic Results at the Quarry Project in British Columbia, Canada

06.01.2026 | [GlobeNewswire](#)

VANCOUVER, Jan. 06, 2026 - [Maxus Mining Inc.](#) ("Maxus" or the "Company") (CSE: MAXM | FRA: R7V), is pleased to provide highlights from a historical data compilation at the Quarry Project (the "Project" or the "Property"), located in the prolific Bralorne Mining District in British Columbia (Please see Figure 1). The Company recently consolidated the Project by acquiring the Beveley Property, as announced by the Company on September 26, 2025.

The Company completed a comprehensive data compilation of historical assessment reports at the Project, which generated exploration targets for the fall 2025 exploration program. The Company engaged the Palliser Exploration team ("Palliser") to complete a reconnaissance field program across the Project. Results of the 2025 exploration and sampling field program at the Project are pending.

## Quarry Project Highlights

- Historic drilling returned averages of:
  - 23.6 m of 1.83% Pb, 2.82% Zn and 56.2 g/t Ag in hole 77-11<sup>1</sup>
  - 13.0 m of 0.65% Pb, 2.58% Zn, and 42.5 g/t Ag in hole 78-25<sup>1</sup>
  - 6.91 m of 2.42% Pb, 2.43% Zn, and 87.7 g/t Ag in hole 80-66<sup>2</sup>
  - 3.81 m of 1.00% Pb, 3.19% Zn, and 43.5 g/t Ag in hole 80-76<sup>2</sup>
- Historic Estimate of the Bullseye Zone (NI 43-101 non-compliant):
  - 99,781 tonnes @ 1.42% Pb, 2.24% Zn, 36.3 g/t Ag (drill-indicated, historical)<sup>3</sup>
  - 2.72 Mt @ 3.66% Pb + Zn, 36.3 g/t Ag (original category not classified, three zones)<sup>3</sup>
  - Historical block estimate, parameters unknown
  - Please see paragraph below (Comments on Reliability of Historical Estimate)
- Cost-Effective Advancement: The Company is actively compiling drillhole data into 2D and 3D workspaces to interpret subsurface geology and mineralization, aiming to quickly and effectively and advance the Project towards modern exploration and drilling programs.
- Critical Polymetallic Mineralization: Historic grab sampling from a massive galena-bearing vein returned average assays of 83.5% Pb and 1,576 g/t Ag,<sup>4</sup> with additional grab samples returning elevated Pb, Zn, Sb, Cu, Au, and Ag values, including 20% Sb, 42.5% Pb, 3.8% Cu, and 0.89 g/t Au<sup>5</sup> (Please see Figure 1).
- Strategic Location: Situated twenty-eight (28) km northwest of Germansen Landing, British Columbia, within favourable carbonate and dolomite breccia host rocks.

*"Historic exploration at the Project has generated a meaningful body of sampling, drilling, and mapping data that documents polymetallic mineralization across the Property," said Scott Walters, Chief Executive Officer of Maxus. "This body of historical information provides important context for the mineralized zones identified to date and informs the Company's ongoing review of the Project."*

Figure 1: Quarry Project Outlining Historic Highlights

## Quarry Project Historical Summary

Historical work at the Project has outlined multiple zones of base metal and precious metal mineralization. Historical grab sampling at the Regent mineral occurrence from a massive galena-bearing vein system returned average assays of 83.5% Pb and 1,576 g/t Ag.<sup>4</sup> Additional historical grab samples reported values

including 20% Sb, 42.5% Pb, 3.8% Cu, 0.89 g/t Au, and 0.34% Zn, as well as 0.29% Sb, 21.1% Pb, 0.23% Cu, 0.39 g/t Au, 583 g/t Ag, and 0.57% Zn.<sup>5</sup>

Within the Bullseye Zone, historic estimates reported 99,781 tonnes grading 1.42% Pb, 2.24% Zn, and 36.3 g/t Ag (drill-indicated), as well as 2.72 Mt grading 3.66% Pb + Zn and 36.3 g/t Ag (original category not classified, three zones) (Please see disclosure below).<sup>3</sup>

As part of the Company's initiative to complete a historic drillhole compilation across its entire property portfolio, these drillholes have been incorporated into the Company's 2D and 3D workspaces and will be incorporated into a drillhole database in coming weeks.

#### Comments on Reliability of Historical Estimate

The historical estimate for the Property is sourced from Property File PF40196, Suzie Mining Explorations Ltd. Newsletter No. 17, prepared by Keith C. Fahrni, P.Eng., and dated July 14, 1978. The estimate is historical in nature and does not include the parameters or categories required under current CIM Definition Standards. There are no directly comparable CIM categories that can be attributed to this estimate, and to the knowledge of the Qualified Person ("QP"), no modern mineral resource or reserve estimates exist for the Property. A QP has not done sufficient work to classify the historical estimate as current mineral resources or mineral reserves, and the Company is not treating the historical estimate as current mineral resources or mineral reserves.

Work required to upgrade and verify the historical estimate includes a desktop compilation of historical drill data, confirmatory/twin drilling at appropriate spacing, specific-gravity (SG) testing by domain, modern analytical QA/QC with check assays, validation of collar locations and downhole surveys, development of a 3D geological/grade model, and QP verification to CIM standards.

#### Qualified Person Statement

The scientific and technical information contained in this news release has been reviewed, verified, and approved by Morgan Verge, P.Geo., Technical Advisor of the Company and a "qualified person" as defined in NI 43-101 - *Standards of Disclosure for Mineral Projects* ("NI 43-101"). Ms. Verge has examined information regarding the historical exploration at the Project, which includes a review of the historical sampling, analytical, and procedures underlying the information and opinions contained herein.

Management cautions that historical results collected and reported by operators unrelated to Maxus have not been verified nor confirmed by its Qualified Person; however, the historical results create a scientific basis for ongoing work at the Project. Management further cautions that historical results, discoveries and published resource estimates on adjacent or nearby mineral properties, whether in stated current resource estimates or historical resource estimates, are not necessarily indicative of the results that may be achieved on the Project.

The "Historic Estimate" described above fall under the NI 43-101 definition of a "historic estimate" meaning that the calculations were prepared prior to the February 1<sup>st</sup>, 2001, implementation of NI 43-101 and therefore do not conform to NI 43-101 standards. No NI 43-101 compliant resource estimates exist to date on the Property.

#### About Maxus Mining Inc.

Maxus Mining Inc. (CSE: MAXM | FRA: R7V) is a mineral exploration company focused on locating, acquiring, and, if warranted, advancing economic mineral properties in premier jurisdictions. The Company is actively progressing its diversified portfolio totaling approximately 15,098 hectares of prospective terrain across British Columbia, Canada.

The Portfolio includes 8,920 hectares across three antimony projects, anchored by the Flagship Alturas Antimony Project, where a recent discovery returned high-grade naturally occurring antimony up to 69.98%

Sb¶. The Hurley Antimony Project, located adjacent to [Endurance Gold Corp.](#)'s Reliance Gold Project, where 2024 drilling reported 19.2% Sb and 2.16 g/t Au over 0.5 m<sup>2</sup>, and the Quarry Antimony Project, which hosts historical polymetallic samples grading 0.89 g/t Au, 3.8% Cu, 0.34% Zn, 42.5% Pb, 0.65 g/t Ag, and 20% Sb &Dagger;

Maxus' portfolio further includes the 3,054-hectare Lotto Tungsten Project, where a selected 1980 grab sample from a scheelite-bearing quartz vein assayed 10.97% WO<sub>3</sub>§, and the 3,123-hectare Penny Copper Project, which has over 100 years of recorded exploration. Recent work programs at Penny included rock sampling and geological mapping&dagger;, with 2017 sampling returning copper values of 1046 ppm Cu (TK17-149c), 1808 ppm Cu (TK17-28), and 2388 ppm Cu (TK17-12)&dagger;. The Project is strategically located near the historic Sullivan Mine at Kimberley, British Columbia, an area that continues to attract significant exploration activity.

Maxus Mining is committed to advancing its British Columbia projects through targeted exploration programs designed to unlock value across multiple critical mineral systems.

## References

1 Fahrni, K.C., 1978. Suzie Mining Explorations Ltd. Report to Support Assessment Work Recorded on Carol 1, Carol 2, Carie E and Carie W Groups

2 Coveney, C.J., 1981. Gold Leaf Mining Explorations Ltd. Report on the Beveley Property (Wasi Lake Project)

3 Fahrni, K.C., 1978. Property File PF40196, Suzie Mining Explorations Ltd, Newsletter #17, July 14, 1978

4 Regent Minfile - <https://minfile.gov.bc.ca/Summary.aspx?minfilno=094C%20%20038>

5 Open File 1992-11, Map Number 10

¶ *Equinox Resources - November 8, 2024, 'Ultra High Grade Naturally Occurring Antimony at Alturas Project with Assays up to 69.98% Sb' - <https://cdn-api.markitdigital.com/apiman-gateway/ASX/asx-research/1.0/file/2924-02878498-6A1236703>*

? *Endurance Summarizes Antimony Results From The Reliance Gold Project, BC - Best Intervals Include 19.2% Antimony And 2.16 ppm Au Over 0.5 m In 2024 Drilling - February 24, 2025 - <https://endurancegold.com/news-r>*

&Dagger; *Open File 1992-11, Map Number 10.*

§ *MILFILE No: 082FSW228 - Loto 3, 1980 Grab Sample -*

*[https://minfile.gov.bc.ca/report.aspx?f=PDF&r=Inventory\\_Detail.rpt&minfilno=082FSW228](https://minfile.gov.bc.ca/report.aspx?f=PDF&r=Inventory_Detail.rpt&minfilno=082FSW228)*

&dagger; *NI 43-101 - Technical Report on the Penny Property British Columbia, NTS 82G/12 49° 55° North Latitude -115° 90° West Longitude, Derrick Strickland P.Geo., August 14, 2024.*

On Behalf of the Board of Directors

Scott Walters  
Chief Executive Officer, Director  
+1 (778) 374-9699  
[info@maxusmining.com](mailto:info@maxusmining.com)

## Disclaimer for Forward-Looking Information

*This news release includes certain "Forward-Looking Statements" within the meaning of the United States Private Securities Litigation Reform Act of 1995 and "forward-looking information" under applicable Canadian securities laws. When used in this news release, the words "anticipate", "believe", "estimate", "expect", "target", "plan", "forecast", "may", "would", "could", "schedule" and similar words or expressions, identify forward-looking statements or information.*

*Forward-looking statements and forward-looking information relating to any future mineral production, liquidity, enhanced value and capital markets profile of Maxus', future growth potential for Maxus and its business, and future exploration plans are based on management's reasonable assumptions, estimates, expectations, analyses and opinions, which are based on management's experience and perception of trends, current conditions and expected developments, and other factors that management believes are relevant and reasonable in the circumstances, but which may prove to be incorrect. Assumptions have been made regarding, among other things, the price of copper, gold, tungsten, antimony and other metals; costs of exploration and development; the estimated costs of development of exploration projects; Maxus' ability to operate in a safe and effective manner and its ability to obtain financing on reasonable terms.*

*This news release contains "forward-looking information" within the meaning of the Canadian securities laws. Statements, other than statements of historical fact, may constitute forward looking information and include, without limitation, statements with respect to the Project and its mineralization potential; the Company's objectives, goals, or future plans with respect to the Project; further exploration work on the Project in the future. With respect to the forward-looking information contained in this news release, the Company has made numerous assumptions regarding, among other things, the geological, metallurgical, engineering, financial and economic advice that the Company has received is reliable and are based upon practices and methodologies which are consistent with industry standards. While the Company considers these assumptions to be reasonable, these assumptions are inherently subject to significant uncertainties and contingencies. Additionally, there are known and unknown risk factors which could cause the Company's actual results, performance or achievements to be materially different from any future results, performance or achievements expressed or implied by the forward-looking information contained herein. Known risk factors include, among others: fluctuations in commodity prices and currency exchange rates; uncertainties relating to interpretation of well results and the geology, continuity and grade of copper, gold, tungsten, antimony and other metal deposits; uncertainty of estimates of capital and operating costs, recovery rates, production estimates and estimated economic return; the need for cooperation of government agencies in the exploration and development of properties and the issuance of required permits; the need to obtain additional financing to develop properties and uncertainty as to the availability and terms of future financing; the possibility of delay in exploration or development programs or in construction projects and uncertainty of meeting anticipated program milestones; uncertainty as to timely availability of permits and other governmental approvals; increased costs and restrictions on operations due to compliance with environmental and other requirements; increased costs affecting the metals industry and increased competition in the metals industry for properties, qualified personnel, and management. All forward-looking information herein is qualified in its entirety by this cautionary statement, and the Company disclaims any obligation to revise or update any such forward-looking information or to publicly announce the result of any revisions to any of the forward-looking information contained herein to reflect future results, events or developments, except as required by law.*

*The Canadian Securities Exchange (CSE) does not accept responsibility for the adequacy or accuracy of this release.*

A photo accompanying this announcement is available at  
<https://www.globenewswire.com/NewsRoom/AttachmentNg/cf457d31-58da-4623-a0e6-63767a65966c>

Dieser Artikel stammt von [Rohstoff-Welt.de](#)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/717390--Maxus-Mining-Highlights-Historical-Polymetallic-Results-at-the-Quarry-Project-in-British-Columbia-Canada.html>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

---

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!  
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).